









FALCON 900EX

DEFINITIONS

---

For current definitions, refer to the current FAA Policy Letter PL-25, MMEL and MEL Definitions, found on the FAA Flight Standards Information Management System (FSIMS) website at:

[FSIMS - Publications - MMEL Policy Letters](#)

PREAMBLE

---

For the MMEL Preamble used for operations under 14 CFR Part 91, refer to the current FAA Policy Letter PL-36, FAR Part 91 MEL Approval and Preamble. For the MMEL Preamble used for operations under 14 CFR Parts 121, 125, 129, and 135, refer to the current FAA Policy Letter PL-34, MMEL and MEL Preamble. The Preamble is found on the FAA Flight Standards Information Management System (FSIMS) website at:

[FSIMS - Publications - MMEL Policy Letters](#)

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM & SEQUENCE NUMBERS |                                     | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                                                                                                               |
|---------------------------|-------------------------------------|--------------------|---------------------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21                        | AIR CONDITIONING                    |                    |                     |                                 |                                                                                                                                                                                                                                                                                        |
| 1.                        | Automatic Pressurization Controller | C                  | 1                   | 0                               | (M)(O) May be inoperative provided:<br>a) UP-DN manual regulator is verified operative,<br>b) Cabin visual and audio warnings are verified operative,<br>c) Triple Cabin indicator is operative, and<br>d) UP-DN manual controller is set to the RH part of the white arc for takeoff. |
| 2.                        | UP-DN Manual Controller             | C                  | 1                   | 0                               | (O) May be inoperative provided:<br>a) Automatic pressurization controller system is operative,<br>b) DUMP mode is verified operative before takeoff, and<br>c) Manual controller is aligned with the green index mark.                                                                |
|                           |                                     | C                  | 1                   | 0                               | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                                                                                                                                                                                 |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-2

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                         | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|--------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                                | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                         |                          |
|                                 |                                | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                         |                          |
|                                 |                                |                                 |   |   |                                                                                                                                                                                                                                                                                                                         |                          |
| 21                              | AIR CONDITIONING               |                                 |   |   |                                                                                                                                                                                                                                                                                                                         |                          |
| 3.                              | Outflow Pressurization Valves  |                                 |   |   |                                                                                                                                                                                                                                                                                                                         |                          |
| 1)                              | Electropneumatic Outflow Valve | C                               | 1 | 0 | (O) May be inoperative provided aircraft is operated at or below 14,000 feet MSL.                                                                                                                                                                                                                                       |                          |
| 2)                              | Pneumatic Outflow Valve        | C                               | 1 | 0 | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                                                                                                                                                                                                                  |                          |
| 4.                              | Triple Indicator               |                                 |   |   |                                                                                                                                                                                                                                                                                                                         |                          |
| 1)                              | Cabin Altitude Indication      | C                               | 1 | 0 | (O) May be inoperative provided: <ul style="list-style-type: none"> <li>a) Cabin differential pressure indicator is operative,</li> <li>b) Cabin automatic pressurization controller is operative, and</li> <li>c) A chart to convert cabin differential pressure to cabin altitude is provided to the crew.</li> </ul> |                          |
|                                 |                                | C                               | 1 | 0 | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                                                                                                                                                                                                                  |                          |
|                                 |                                |                                 |   |   | (Continued)                                                                                                                                                                                                                                                                                                             |                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-3

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                           | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                   |
|---------------------------------|-------------------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                           | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                   |
|                                 |                                           | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                   |
|                                 |                                           | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                   |
| 21                              | AIR CONDITIONING                          |                                 |   |   |                                                                                                                                                                                                                   |
| 4.                              | Triple Indicator<br>(Cont'd)              |                                 |   |   |                                                                                                                                                                                                                   |
| 1)                              | Cabin Differential Pressure<br>Indication | C                               | 1 | 0 | (O) May be inoperative provided:<br>a) Cabin altitude indicator is<br>operative, and<br>b) A chart to convert cabin altitude<br>to cabin differential pressure is<br>provided to the crew.                        |
|                                 |                                           | C                               | 1 | 0 | (O) May be inoperative provided flight<br>is conducted in an unpressurized<br>configuration.                                                                                                                      |
| 2)                              | Cabin Vertical Speed<br>Indication        | C                               | 1 | 0 | May be inoperative provided cabin<br>differential pressure indicator is<br>operative.                                                                                                                             |
|                                 |                                           | C                               | 1 | 0 | (O) May be inoperative provided flight<br>is conducted in an unpressurized<br>configuration.                                                                                                                      |
| 5.                              | "Cabin" Aural Warning                     | C                               | 1 | 0 | (O) May be inoperative provided:<br>a) CABIN warning light is verified<br>operative,<br>b) Cabin Automatic pressurization<br>controller is operative, and<br>c) Cabin altitude remains at or<br>below 8,000 feet. |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-4

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 21 | AIR CONDITIONING                                    |   |   |   |                                                                                                                                                                           |
|----|-----------------------------------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6. | "CABIN" Warning Light and Aural Warning Test System | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Cabin Automatic pressurization controller is operative, and<br>b) CABIN warning light and aural warning are verified operative. |
| 7. | CABIN Warning Light                                 | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) "Cabin" aural warning is verified operative, and<br>b) Cabin altitude remains at or below 8,000 feet.                           |
|    |                                                     | C | 1 | 0 | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                                                                    |

| AIRCRAFT:<br>FALCON 900EX       |                                             | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>21-5 |                                                                                                                                                                                                                   |
|---------------------------------|---------------------------------------------|------------------------------------|---|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                             | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                   |
|                                 |                                             | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                   |
|                                 |                                             | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                   |
|                                 |                                             | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                   |
| 21                              | AIR CONDITIONING                            |                                    |   |                  |                                                                                                                                                                                                                   |
| 8.                              | PASSENGER and CREW Air Conditioning Systems |                                    |   |                  |                                                                                                                                                                                                                   |
| 1)                              | AUTO Mode                                   | C                                  | 2 | 0                | (M)(O) One or more may be inoperative provided:<br>a) Associated manual mode is verified operative, and<br>b) OFF is selected before takeoff and ON is selected at 1,000 feet AGL.                                |
| 2)                              | Manual Mode (ON/OFF)                        | C                                  | 2 | 1                | (M)(O) One may be inoperative provided:<br>a) Pneumatic valve is verified in the closed position,<br>b) Air supply inter-communication valve is verified open, and<br>c) Aircraft is operated at or below FL 410. |
|                                 |                                             | C                                  | 2 | 0                | (M)(O) One or more may be inoperative in closed position provided flight is conducted in an unpressurized configuration.                                                                                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-6

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                     | 1. REPAIR CATEGORY  |   |   |                                 | 4. REMARKS OR EXCEPTIONS                                                                                                  |
|---------------------------------|-----------------------------------------------------|---------------------|---|---|---------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                     | 2. NUMBER INSTALLED |   |   | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                           |
|                                 |                                                     | C                   | 1 | 0 |                                 |                                                                                                                           |
|                                 |                                                     |                     |   |   |                                 |                                                                                                                           |
| 21                              | AIR CONDITIONING                                    |                     |   |   |                                 |                                                                                                                           |
| 9.                              | Environmental Control Unit (ECU)                    | C                   | 1 | 0 |                                 | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                    |
| 1)                              | ECU A/I Switch Light (M2522)                        | C                   | 1 | 0 |                                 | (M) May be inoperative provided the turbine emergency anti-icing electric valve is verified and secured in open position. |
|                                 |                                                     | C                   | 1 | 0 |                                 | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                    |
| 2)<br>***                       | Turbine Emergency Anti-Icing Electric Valve (M2522) | C                   | 1 | 0 |                                 | (M) May be inoperative provided the turbine emergency anti-icing electric valve is verified and secured in open position. |
|                                 |                                                     | C                   | 1 | 0 |                                 | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                    |
| 10.                             | ECU OVHT Warning Light                              | C                   | 1 | 0 |                                 | (O) May be inoperative provided flight is conducted in an unpressurized configuration.                                    |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-7

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|     |                                                   |   |   |   |                                                                                       |  |
|-----|---------------------------------------------------|---|---|---|---------------------------------------------------------------------------------------|--|
| 21  | AIR CONDITIONING                                  |   |   |   |                                                                                       |  |
| 11. | PASSENGER and CREW<br>Temperature Control Systems |   |   |   |                                                                                       |  |
| 1)  | AUTO Mode                                         | C | 2 | 0 | (O) One or more may be inoperative provided both MANUAL modes are verified operative. |  |
| 2)  | MANUAL Mode                                       | C | 2 | 1 | (M) One may be inoperative provided associated AUTO mode is operative.                |  |
| 12. | PASSENGER Temperature<br>Remote Control Selector  | C | 1 | 0 | (O) May be inoperative.                                                               |  |
| 13. | Temperature Control Valve<br>Position Indicators  | C | 2 | 0 | (O) One or more may be inoperative.                                                   |  |
| 14. | Cabin Temperature Indicator                       | C | 1 | 0 |                                                                                       |  |
| 15. | Gasper Pressure Control<br>Valve                  | C | 1 | 0 |                                                                                       |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-8

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM & SEQUENCE NUMBERS | 1. REPAIR CATEGORY                     | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS |                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------|----------------------------------------|---------------------|---------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21                        | AIR CONDITIONING                       |                     |                                 |                          |                                                                                                                                                                                                                                                                                                                                                                         |
| 16.                       | Baggage Compartment Distribution Valve | C                   | 1                               | 0                        | (M) May be inoperative open provided:<br>a) Crew air conditioning valve is verified operative, and<br>b) Baggage compartment fire warning system is operative.                                                                                                                                                                                                          |
|                           |                                        | C                   | 1                               | 0                        | (M)(O) May be inoperative provided distribution valve is verified in the closed position.                                                                                                                                                                                                                                                                               |
| 17.                       | Baggage Compartment Isolating Valve    | C                   | 1                               | 0                        | (M)(O) May be inoperative in closed position (BAG ISOL light on) provided:<br>a) MESSAGE caution light is operative,<br>b) No BAG ACCESS message is displayed on the EIED,<br>c) Baggage compartment distribution valve is verified operative,<br>d) Baggage compartment remains empty and is placarded "DO NOT OPEN IN FLIGHT", and<br>e) AFM limitations are applied. |
| 18.                       | EFIS Blowers                           | C                   | 5                               | 4                        | (M) One may be inoperative provided the cold air supply sytem is verified to provided an adequate air flow to the EFIS.                                                                                                                                                                                                                                                 |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

21-9

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 21  | AIR CONDITIONING                                          |   |   |   |                                                                                                 |
|-----|-----------------------------------------------------------|---|---|---|-------------------------------------------------------------------------------------------------|
| 19. | Nose Cone Supply System<br>(Valve and Pneumatic Actuator) | C | 1 | 0 | (M) May be inoperative provided the valve is verified in open position.                         |
|     |                                                           | C | 1 | 0 | (M) May be inoperative closed provided the NOSE CONE OVHT warning system is verified operative. |
| 20. | Nose Cone Blower                                          | C | 1 | 0 | May be inoperative closed provided the NOSE CONE OVHT warning system is verified operative.     |
| 21. | Pilot Gaspers                                             | C | 2 | 1 | One may be inoperative                                                                          |
|     |                                                           | C | 2 | 0 | One or more may be inoperative provided at least one remains in the open position.              |
| 22. | Flight Deck Air Conditioning Distribution Levers          | C | 2 | 0 | One or more may be inoperative in the WINDSHIELD position.                                      |
| 23. | CREW/PAX Air Conditioning Intercommunication Valve        | C | 1 | 0 |                                                                                                 |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                       |                                                    | REVISION NO: 9                  |   | PAGE NO. |                                                                                                                                                                                                                                                                                                            |
|---------------------------------|----------------------------------------------------|---------------------------------|---|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FALCON 900EX                    |                                                    | DATE: 10/20/2016                |   | 21-10    |                                                                                                                                                                                                                                                                                                            |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                    | 1. REPAIR CATEGORY              |   |          |                                                                                                                                                                                                                                                                                                            |
|                                 |                                                    | 2. NUMBER INSTALLED             |   |          |                                                                                                                                                                                                                                                                                                            |
|                                 |                                                    | 3. NUMBER REQUIRED FOR DISPATCH |   |          |                                                                                                                                                                                                                                                                                                            |
|                                 |                                                    | 4. REMARKS OR EXCEPTIONS        |   |          |                                                                                                                                                                                                                                                                                                            |
| 21                              | AIR CONDITIONING                                   |                                 |   |          |                                                                                                                                                                                                                                                                                                            |
| 24.                             | ECU Turbo Fan                                      | A                               | 1 | 0        | (M)(O) May be inoperative provided:<br>a) Air conditioning remains OFF on the ground,<br>b) Air conditioning remains OFF in flight when TAS is 300 knots or less,<br>c) Passenger and crew bleed air control valves are verified operative, and<br>d) Repairs are made within 3 consecutive calendar-days. |
| 25.                             | ECU A/I Switch Light (M2522)                       |                                 |   |          | Transferred to item 9.                                                                                                                                                                                                                                                                                     |
| 26.<br>***                      | High Altitude Takeoff and Landing Function (M3261) |                                 |   |          |                                                                                                                                                                                                                                                                                                            |
| 1)<br>***                       | HIGH Mode                                          | D                               | 1 | 0        | (O) May be inoperative provided:<br>a) Destination airfield landing elevation and current airfield altitude are below 10,000 feet, and<br>b) CABIN warning light and aural warning are verified operative.                                                                                                 |
| 2)<br>***                       | Test Function                                      | D                               | 1 | 0        | May be inoperative provided destination airfield landing elevation and current airfield altitude are below 10,000 feet.                                                                                                                                                                                    |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

22-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                             | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                                               |
|---------------------------------|-----------------------------|--------------------|---------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22                              | AUTOFLIGHT                  |                    |                     |                                 |                                                                                                                                                                                                                        |
| 1.                              | Autopilot System            |                    |                     |                                 |                                                                                                                                                                                                                        |
| 1)                              | AP Function                 | C                  | 2                   | 1                               | (O) Both may be inoperative provided:<br>a) Enroute or approach procedures do not require its use, and<br>b) Number of flight legs and flight leg durations are acceptable to the flightcrew.                          |
|                                 |                             | B                  | 2                   | 0                               |                                                                                                                                                                                                                        |
| 2)                              | YD Function                 | C                  | 2                   | 0                               | (M) One or more may be inoperative provided:<br>a) Rudder is verified to be in neutral position before each departure,<br>b) Message "RUDDER NOT CENTERED" is not displayed on EID, and<br>c) AP Function is not used. |
| 3)                              | CPL Function                | C                  | 2                   | 1                               | Copilot selection may be inoperative.                                                                                                                                                                                  |
| 4)                              | Auto Throttle (AT) Function | C                  | 1                   | 0                               |                                                                                                                                                                                                                        |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 9<br>DATE: 10/20/2016 | PAGE NO.<br>22-2 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                           | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                         |
|---------------------------------|-------------------------------------------|---------------------------------|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                           | 2. NUMBER INSTALLED             |   |   | 4. REMARKS OR EXCEPTIONS                                                                                                                                |
|                                 |                                           | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                         |
|                                 |                                           |                                 |   |   |                                                                                                                                                         |
| 22                              | AUTOFLIGHT                                |                                 |   |   |                                                                                                                                                         |
| 1.                              | Autopilot System (Cont'd)                 |                                 |   |   |                                                                                                                                                         |
| 5)                              | Mach Trim (MT) Function                   | C                               | 2 | 0 | One or more may be inoperative provided airspeed does not exceed .80 Mach.                                                                              |
| 6)                              | Auto Pilot Disconnect Warning Label (PFD) | C                               | 1 | 0 | May be inoperative provided warning light and aural warning are operative.                                                                              |
| 7)                              | FD Function                               | C                               | 2 | 1 |                                                                                                                                                         |
|                                 |                                           | C                               | 2 | 0 | Both may be inoperative provided:<br>a) Approach minimums do not require their use, and<br>b) AP Function is not used.                                  |
| 2.                              | Autopilot Disengage Switches              | C                               | 2 | 1 | One may be inoperative provided:<br>a) Autopilot is not used below 1,500 feet AGL, and<br>b) Approach minimums do not require the use of the autopilot. |
|                                 |                                           | B                               | 2 | 0 | May be inoperative provided autopilot is not used.                                                                                                      |
| 3.                              | Go-Around Buttons                         | C                               | 2 | 1 | (O) Copilot's button may be inoperative.                                                                                                                |
|                                 |                                           | C                               | 2 | 0 | One or more may be inoperative provided AP Function and FD Function are not used below 1,500 feet AGL.                                                  |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

22-3

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                               | 1. REPAIR CATEGORY              |   |   |  | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                           |
|---------------------------------|-----------------------------------------------|---------------------------------|---|---|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                               | 2. NUMBER INSTALLED             |   |   |  |                                                                                                                                                                                                    |
|                                 |                                               | 3. NUMBER REQUIRED FOR DISPATCH |   |   |  |                                                                                                                                                                                                    |
|                                 |                                               |                                 |   |   |  |                                                                                                                                                                                                    |
| 22                              | AUTOFLIGHT                                    |                                 |   |   |  |                                                                                                                                                                                                    |
| 4.                              | Autothrottle Disconnect Switches (Throttle)   | C                               | 2 | 1 |  | One may be inoperative provided autothrottle is not used below 1,500 feet AGL.                                                                                                                     |
|                                 |                                               | C                               | 2 | 0 |  | Both be inoperative provided autothrottle is not used below 10,000 feet AGL.                                                                                                                       |
| 5.                              | Flight Guidance Controller                    |                                 |   |   |  |                                                                                                                                                                                                    |
| 1)                              | AP Higher Mode (Except ALT and HEADING Modes) | C                               | 8 | 0 |  | One or more may be inoperative provided relative AP higher mode button is set to OFF.                                                                                                              |
| 2)                              | ALT mode                                      | C                               | 1 | 0 |  | (O) May be inoperative provided:<br>a) ALT button is set to OFF,<br>b) Number of flight legs and flight leg durations are acceptable to the flightcrew, and<br>c) RVSM operations are not planned. |
| 6.                              | Servomotor (Pitch and Roll)                   | B                               | 2 | 0 |  | One or more may be inoperative provided AP Function is considered inoperative.                                                                                                                     |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

22-4

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|    |                                    |   |   |   |                                                                                           |  |
|----|------------------------------------|---|---|---|-------------------------------------------------------------------------------------------|--|
| 22 | AUTOFLIGHT                         |   |   |   |                                                                                           |  |
| 7. | Autothrottle Servomotors           | C | 3 | 0 | One or more may be inoperative provided autothrottle is not used.                         |  |
| 8. | Integrated Avionics Computer (IAC) | A | 3 | 2 | (O) No.1 may be inoperative provided repairs are made within 3 consecutive calendar-days. |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

23-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 23 | COMMUNICATIONS                  |   |   |   |                                                                                                                                                                                                                                  |
|----|---------------------------------|---|---|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Radio Tuning Units (RTU)        | C | 2 | 1 | (O) One may be inoperative provided radio tuning function of the FMS is operative.                                                                                                                                               |
| 2. | Communication System (VHF, UHF) | D | - | - | Any in excess of those required by 14 CFR may be inoperative provided it is not powered by the Emergency AC Bus, Emergency DC Bus, Battery BUS, Batter Direct Bus, or DC Transfer Bus and not required for emergency procedures. |
| 1) | VHF Comm Control Panels         |   |   |   |                                                                                                                                                                                                                                  |
| a) | Frequency Transfer Light        | C | - | 0 |                                                                                                                                                                                                                                  |
| b) | Frequency Transfer Switch       | C | - | 0 |                                                                                                                                                                                                                                  |
| c) | Frequency Transfer Knob         | C | - | 2 |                                                                                                                                                                                                                                  |
| d) | Frequency Indication            | C | - | 2 |                                                                                                                                                                                                                                  |
| 3. | Flight Deck Speaker Systems     | C | 2 | 0 | One or more may be inoperative provided:<br>a) Procedures do not require its use, and<br>b) Headsets are installed and operative.                                                                                                |

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 9<br>DATE: 10/20/2016 | PAGE NO.<br>23-2 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS | 1. REPAIR CATEGORY                                                   |   |   |   |                                                                                                                                                             |
|---------------------------------|----------------------------------------------------------------------|---|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 | 2. NUMBER INSTALLED                                                  |   |   |   |                                                                                                                                                             |
|                                 | 3. NUMBER REQUIRED FOR DISPATCH                                      |   |   |   |                                                                                                                                                             |
|                                 | 4. REMARKS OR EXCEPTIONS                                             |   |   |   |                                                                                                                                                             |
| 23                              | COMMUNICATIONS                                                       |   |   |   |                                                                                                                                                             |
| 4.                              | Flight Deck Headsets<br>Earphones/Headphones and<br>Boom Microphones |   |   |   |                                                                                                                                                             |
| 1)                              | Headset Boom Microphones                                             | A | - | 0 | May be inoperative provided:<br>a) Associated hand microphone is<br>installed and operates<br>normally, and<br>b) Repairs are made within<br>3 flight days. |
|                                 |                                                                      | D | - | - | Any in excess of those required by<br>regulation may be inoperative.                                                                                        |
| 2)                              | Headset<br>Earphones/Headphones                                      | C | - | 1 | May be inoperative provided<br>associated flight deck speaker<br>operates normally.                                                                         |
|                                 |                                                                      | D | - | - | Any in excess of those required by<br>regulation may be inoperative.                                                                                        |
| 3)                              | Active Noise<br>Canceling/Reduction Function                         | D | - | 0 | May be inoperative provided normal<br>audio function of headset is operative.                                                                               |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

23-3

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                               | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                            | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|-------------------------------|---------------------------------|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                               | 2. NUMBER INSTALLED             |   |   | 3. NUMBER REQUIRED FOR DISPATCH                                                                                                                                                                                                                                                            |                          |
|                                 |                               | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                            |                          |
|                                 |                               | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                            |                          |
| 23                              | COMMUNICATIONS                |                                 |   |   |                                                                                                                                                                                                                                                                                            |                          |
| 4.                              | Passenger Address System (PA) |                                 |   |   |                                                                                                                                                                                                                                                                                            |                          |
| 1)                              | Passenger Configuration       | B                               | 1 | 0 | (O) May be inoperative provided:<br>a) Alternate, normal, and emergency procedures and/or operating restrictions are established and used, and<br>b) Flight attendant alerting system (audio and visual) is operative.<br><br>NOTE: Any station function(s) that is operative may be used. |                          |
|                                 |                               | C                               | 1 | 0 | (O) May be inoperative provided:<br>a) PA not required by 14 CFR, and<br>b) Alternate, normal, and emergency procedures and/or operating restrictions are established and used.<br><br>NOTE: Any station function(s) that operate normally may be used.                                    |                          |
| (Continued)                     |                               |                                 |   |   |                                                                                                                                                                                                                                                                                            |                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

23-4

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                        | 1. REPAIR CATEGORY  |   |   |                                 | 4. REMARKS OR EXCEPTIONS                                                                                                        |
|---------------------------------|----------------------------------------|---------------------|---|---|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                        | 2. NUMBER INSTALLED |   |   | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                                 |
|                                 |                                        |                     |   |   |                                 |                                                                                                                                 |
|                                 |                                        |                     |   |   |                                 |                                                                                                                                 |
| 23                              | COMMUNICATIONS                         |                     |   |   |                                 |                                                                                                                                 |
| 5.                              | Passenger Address System (PA) (Cont'd) |                     |   |   |                                 |                                                                                                                                 |
| 1)                              | Passenger Configuration (Cont'd)       |                     |   |   |                                 |                                                                                                                                 |
| a)                              | Lavatory Speakers                      | C                   | - | 0 |                                 | (O) May be inoperative provided alternate procedures are established and used.                                                  |
| 2)                              | Cargo Configuration                    | C                   | 1 | 0 |                                 | May be inoperative provided alternate, normal, and emergency procedures and/or operating restrictions are established and used. |
|                                 |                                        | D                   | 1 | 0 |                                 | May be inoperative provided procedures do not require its use.                                                                  |
| a)                              | Lavatory Speakers                      | C                   | 1 | 0 |                                 | (O) May be inoperative provided alternate procedures are established and used.                                                  |
|                                 |                                        | D                   | 1 | 0 |                                 | May be inoperative provided procedures do not require its use.                                                                  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

23-5

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS | 1. REPAIR CATEGORY              | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS |                                                                                |
|---------------------------------|---------------------------------|---------------------|---------------------------------|--------------------------|--------------------------------------------------------------------------------|
| 23                              | COMMUNICATIONS                  |                     |                                 |                          |                                                                                |
| 6.                              | Selective Call Systems (SELCAL) | C                   | -                               | 0                        | May be inoperative provided alternate procedures are established and used.     |
|                                 |                                 | D                   | -                               | 0                        | May be inoperative provided procedures do not require its use.                 |
| 1)                              | Channels                        | C                   | -                               | 0                        | May be inoperative provided alternate procedures are established and used.     |
|                                 |                                 | D                   | -                               | 0                        | May be inoperative provided procedures do not require its use.                 |
| 7.<br>***                       | Automatic Cabin Briefing System | D                   | 1                               | 0                        | (O) May be inoperative provided alternate procedures are established and used. |
| 8.<br>***                       | AUX Battery System              |                     |                                 |                          | Moved to ATA 24.                                                               |
| 9.<br>***                       | AFIS System (VHF and Satellite) | C                   | 1                               | 0                        | May be inoperative provided alternate procedures are established and used.     |
|                                 |                                 | D                   | -                               | 0                        | May be inoperative provided procedures do not require its use.                 |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                       |                                              | REVISION NO: 9                  |   | PAGE NO. |                                                                                                                                   |  |
|---------------------------------|----------------------------------------------|---------------------------------|---|----------|-----------------------------------------------------------------------------------------------------------------------------------|--|
| FALCON 900EX                    |                                              | DATE: 10/20/2016                |   | 23-6     |                                                                                                                                   |  |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                              | 1. REPAIR CATEGORY              |   |          |                                                                                                                                   |  |
|                                 |                                              | 2. NUMBER INSTALLED             |   |          | 4. REMARKS OR EXCEPTIONS                                                                                                          |  |
|                                 |                                              | 3. NUMBER REQUIRED FOR DISPATCH |   |          |                                                                                                                                   |  |
|                                 |                                              |                                 |   |          |                                                                                                                                   |  |
| 23                              | COMMUNICATIONS                               |                                 |   |          |                                                                                                                                   |  |
| 10.<br>***                      | SATCOM                                       | C                               | - | 0        | May be inoperative provided alternate procedures are established and used.                                                        |  |
|                                 |                                              | D                               | - | 0        | May be inoperative provided procedures do not require its use.                                                                    |  |
| 11.<br>***                      | ACARS                                        | C                               | - | 0        | May be inoperative provided alternate procedures are established and used.                                                        |  |
| 12.                             | Cockpit Voice Recorder (CVR)                 |                                 |   |          |                                                                                                                                   |  |
| 1)                              | With Flight Data Recorder (FDR) Installed    | A                               | 1 | 0        | May be inoperative provided:<br>a) Flight Data Recorder (FDR) operates normally, and<br>b) Repairs are made within 3 flight days. |  |
| ***                             | Recorder Independent Power Supply (RIPS)     | C                               | - | -        |                                                                                                                                   |  |
| 2)                              | Without Flight Data Recorder (FDR) Installed | A                               | 1 | 0        | May be inoperative provided repairs are made within 3 flight days.                                                                |  |
| ***                             | Recorder Independent Power Supply (RIPS)     | C                               | - | -        |                                                                                                                                   |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

23-7

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                                                   | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                                                   | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                 |                                                                                                   | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                 |                                                                                                   | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 23                              | COMMUNICATIONS                                                                                    |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 12.                             | Cockpit Voice Recorder (CVR)<br>(Cont'd)                                                          |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 3)                              | For an Operator Other Than a<br>Holder of an Air Carrier or<br>Commercial Operator<br>Certificate | A                               | 1 | 0 | May be inoperative provided repairs<br>are made in accordance with<br>applicable 14 CFRs.                                                                                                                                                                                                                                                                                                                                                 |
| ***                             | Recorder Independent Power<br>Supply (RIPS)                                                       | C                               | - | - |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 13.                             | High Frequency (HF)<br>Communication System                                                       | D                               | - | - | Any in excess of those required by<br>14 CFR may be inoperative.                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                                                                   | C                               | - | 1 | (O) May be inoperative while<br>conducting operations that require two<br>LRCS provided:<br>a) Aircraft SATVOICE system<br>operates normally,<br>b) SATVOICE services are<br>available as an LRCS over the<br>intended route of flight,<br>c) The ICAO Flight Plan is<br>updated (as required) to notify<br>ATC of the communications<br>equipment status of the aircraft,<br>and<br>d) Alternate procedures are<br>established and used. |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

23-8

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 23  | COMMUNICATIONS                                       |   |   |   |                                                                                                                                                                                                                                                                                                                                                                     |
|-----|------------------------------------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 14. | Crewmember Interphone System(s)                      | C | 2 | 1 |                                                                                                                                                                                                                                                                                                                                                                     |
| 1)  | Passenger Configuration                              |   |   |   |                                                                                                                                                                                                                                                                                                                                                                     |
| a)  | Flight Deck to Cabin, Cabin to Flight Deck Functions | B | - | - | (O) May be inoperative provided:<br>a) Flight deck to cabin and cabin to flight deck interphone functions operate normally on at least 50% of the cabin handsets, and<br>b) Alternate communications procedures between the affected flight attendants station(s) are established and used.<br><br>NOTE: Any station function(s) that operate normally may be used. |
|     |                                                      |   |   |   | (Continued)                                                                                                                                                                                                                                                                                                                                                         |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 9<br>DATE: 10/20/2016 | PAGE NO.<br>23-9 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS | 1. REPAIR CATEGORY                                        | 2. NUMBER INSTALLED |   | 3. NUMBER REQUIRED FOR DISPATCH |  | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                                                                  |
|---------------------------------|-----------------------------------------------------------|---------------------|---|---------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                           |                     |   |                                 |  |                                                                                                                                                                                                                                           |
|                                 |                                                           |                     |   |                                 |  |                                                                                                                                                                                                                                           |
|                                 |                                                           |                     |   |                                 |  |                                                                                                                                                                                                                                           |
| 23                              | COMMUNICATIONS                                            |                     |   |                                 |  |                                                                                                                                                                                                                                           |
| 15.                             | Crewmember Interphone System(s)<br>(Cont'd)               |                     |   |                                 |  |                                                                                                                                                                                                                                           |
| 1)                              | Passenger Configuration<br>(Cont'd)                       |                     |   |                                 |  |                                                                                                                                                                                                                                           |
| b)                              | Flight Deck to Ground Function                            |                     |   |                                 |  |                                                                                                                                                                                                                                           |
| (1)                             | Large Turbojet Powered Airplanes Operating under Part 121 | C                   | 1 | 0                               |  | (O) Servicing interphone flight deck to ground/ground to flight deck function may be inoperative provided:<br>a) Alternate procedures are established and used, and<br>b) Nose gear/forward fuselage flight interphone jack is operative. |
|                                 |                                                           | B                   | - | 0                               |  | (O) May be inoperative provided alternate procedures are established and used.                                                                                                                                                            |
| (2)                             | All other Aircraft/Operations                             | C                   | - | 0                               |  | (O) May be inoperative provided alternate procedures are established and used.                                                                                                                                                            |
|                                 |                                                           | D                   | - | 0                               |  | May be inoperative provided procedures do not require its use.                                                                                                                                                                            |
| 16.<br>***                      | FANS 1/A+ Function                                        | D                   | - | 0                               |  | May be inoperative provided operations do not require its use.                                                                                                                                                                            |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

24-1

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                               | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                       |  |
|---------------------------------|-----------------------------------------------|---------------------------------|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                                 |                                               | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                       |  |
|                                 |                                               | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                       |  |
|                                 |                                               | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                       |  |
| 24                              | ELECTRICAL POWER                              |                                 |   |   |                                                                                                                                                                                                                                                                                       |  |
| 1.                              | Battery Blower                                |                                 |   |   |                                                                                                                                                                                                                                                                                       |  |
| 1)                              | Aircraft with M3211                           | D                               | 1 | 0 |                                                                                                                                                                                                                                                                                       |  |
| 2)                              | Aircraft without M3211                        | C                               | 1 | 0 | (M)(O) May be inoperative provided HOT BAT warning system is operative.                                                                                                                                                                                                               |  |
| 2.                              | BAT Caution Light<br>(Aircraft without M3211) | B                               | 2 | 1 | (M)(O) One may be inoperative provided:<br>a) Associated battery is verified tied to the Bus,<br>b) Voltage and current of each battery is verified normal prior to each takeoff, and<br>c) Voltmeter and ammeter of the associated DC generating system are monitored during flight. |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

24-2

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                     |
|---------------------------------|----------------------------------------------------------------|---------------------------------|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                     |
|                                 |                                                                | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                     |
|                                 |                                                                | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                     |
| 24                              | ELECTRICAL POWER                                               |                                 |   |   |                                                                                                                                                                                                                                                     |
| 3.                              | Battery Temperature Indicating System (Aircraft without M3211) |                                 |   |   |                                                                                                                                                                                                                                                     |
| 1)                              | Temperature Indication                                         | C                               | 2 | 0 | (O) One or more may be inoperative provided both lights on the indicator and the HOT BAT warning light are operative.                                                                                                                               |
| 2)                              | Indicator's Amber and Red Lights                               | C                               | 2 | 1 | (O) One may be inoperative provided:<br>a) Both battery temperature indicators are operative,<br>b) Remaining indicator light is operative, and<br>c) HOT BAT warning light is operative.                                                           |
| 4.                              | GEN Caution Lights                                             | B                               | 3 | 2 | (O) One may be inoperative provided:<br>a) Voltmeter and ammeter of the associated DC generating system is operative,<br>b) Engine start is manually discontinued at 45% N2, and<br>c) Generator output current is closely monitored during flight. |
|                                 |                                                                | C                               | 3 | 2 | One may be inoperative provided associated generator (ATA 24.5) is considered inoperative.                                                                                                                                                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

24-3

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                     | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                   |
|---------------------------------|-------------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                     | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                   |
|                                 |                                     | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                   |
|                                 |                                     | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                   |
| 24                              | ELECTRICAL POWER                    |                                 |   |   |                                                                                                                                                                                                                                                                   |
| 5.                              | Starter Generators                  |                                 |   |   |                                                                                                                                                                                                                                                                   |
| 1)                              | Generator Function                  | B                               | 3 | 2 | (M)(O) Number ONE or number THREE may be inoperative in generator mode provided:<br>a) Bus tie system is verified operative,<br>b) AFM load shedding procedures are applied, and<br>c) Head UP Display (HUD) operations are limited to 10,000 feet AGL and above. |
| 6.                              | DC Voltmeters                       | C                               | 2 | 1 | (M) One may be inoperative provided ammeter of the associated DC generating system is operative.                                                                                                                                                                  |
| 7.                              | BUS TIED Light                      | C                               | 1 | 0 | (M) May be inoperative provided Bus tie circuit and the DC voltmeters are operative.                                                                                                                                                                              |
| 8.<br>***                       | AUX Battery System (Communications) | D                               | 1 | 0 |                                                                                                                                                                                                                                                                   |
| 9.                              | Load Shed Override Function (M3468) | D                               | 1 | 0 | (M) May be inoperative provided:<br>a) Optional Galley Loads are not used, and<br>b) Associated Galley circuit breakers are pulled and collared.                                                                                                                  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

25-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 25 | EQUIPMENT/FURNISHINGS |   |   |   |                                                                                                                                                                                                                           |
|----|-----------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Pilot's Seat          |   |   |   |                                                                                                                                                                                                                           |
| 1) | Vertical Adjustment   | C | 2 | 0 | (M)(O) One or more may be inoperative provided:<br>a) Seat is secured at the individual crewmember's requirements,<br>b) Fore-aft adjustment is operative, and<br>c) Associated circuit breakers are pulled and collared. |
| 2) | Armrests              | C | 4 | 0 | (M)(O) One or more may be inoperative provided:<br>a) Affected armrest is in the up position or removed, and<br>b) Seat is acceptable to the affected crewmember.                                                         |
| 3) | Recline Adjustment    | C | 2 | 0 | (M)(O) One or more may be inoperative provided:<br>a) Seat is secured at a position acceptable to the affected crewmember, and<br>b) Seat is able to move full Fore and Aft on its track.                                 |
| 4) | Headrests             | C | 2 | 0 | (O) One or more Headrest fairing only may be damaged provided:<br>a) Headrest structure is verified adequate, and<br>b) It is acceptable to the affected crewmember.                                                      |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

25-2

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                       | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------|-----------------------|---------------------------------|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                       | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                 |                       | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                 |                       | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 25                              | EQUIPMENT/FURNISHINGS |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 2.                              | Passenger Seat(s)     | D                               | - | - | <p>May be inoperative provided:</p> <ul style="list-style-type: none"> <li>a) Seat does not block an Emergency Exit,</li> <li>b) Seat does not restrict any passenger from access to the main aircraft aisle, and</li> <li>c) The affected seat(s) are blocked and placarded "DO NOT OCCUPY".</li> </ul> <p>NOTE 1: A seat with an inoperative seat belt is considered inoperative.</p> <p>NOTE 2: Inoperative seats do not affect the required number of Flight Attendants.</p> <p>NOTE 3: Affected seat(s) may include the seat(s) behind and/or adjacent outboard seats.</p> |
| 1)                              | Recline Mechanism     | D                               | - | - | <p>(M) May be inoperative and seat occupied provided seat is secured in the upright position.</p> <p>(Continued)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                             | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>25-3 |                                                                                                                                                                                                                                                                                                |
|---------------------------------|---------------------------------------------|------------------------------------|---|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                             | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                                                                                |
|                                 |                                             | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                                                                                |
|                                 |                                             | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                                                                                |
|                                 |                                             | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                                                                                |
| 25                              | EQUIPMENT/FURNISHINGS                       |                                    |   |                  |                                                                                                                                                                                                                                                                                                |
| 2.                              | Passenger Seat(s)<br>(Cont'd)               |                                    |   |                  |                                                                                                                                                                                                                                                                                                |
| 2)                              | Underseat Baggage<br>Restraining Bars       | C                                  | - | -                | (O) May be inoperative provided:<br>a) Baggage is not stowed under<br>seat with inoperative restraining<br>bar,<br>b) Associated seat is placarded<br>"DO NOT STOW BAGGAGE<br>UNDER THIS SEAT", and<br>c) Procedures are established to<br>alert Cabin Crew of inoperative<br>restraining bar. |
| 3)                              | Swivel Mechanism                            | C                                  | - | -                | May be inoperative and seat occupied<br>provided:<br>a) Associated seat does not block<br>an emergency exit,<br>b) Associated seat does not<br>restrict any passenger from<br>access to main aisle, and<br>c) Associated seat is locked in the<br>takeoff position for takeoff and<br>landing. |
| 4)<br>***                       | Electrical/Electronic<br>Systems/Components | C                                  | - | -                | (M) May be inoperative and seat<br>occupied provided associated<br>component(s) is(are) deactivated.                                                                                                                                                                                           |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                           | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>25-4 |                                                                                                                                                                                                                                                                                 |
|---------------------------------|-------------------------------------------|------------------------------------|---|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                           | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                                                                 |
|                                 |                                           | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                                                                 |
|                                 |                                           | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                                                                 |
|                                 |                                           | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                                                                 |
| 25                              | EQUIPMENT/FURNISHINGS                     |                                    |   |                  |                                                                                                                                                                                                                                                                                 |
| 2.                              | Passenger Seat(s)<br>(Cont'd)             |                                    |   |                  |                                                                                                                                                                                                                                                                                 |
| 5)                              | Headrests                                 | C                                  | - | -                | May be inoperative provided associated passenger seat is in takeoff position.                                                                                                                                                                                                   |
| 6)                              | Armrests                                  | D                                  | - | -                | May be inoperative or missing and seat occupied provided:<br>a) Arm rest does not block an emergency exit,<br>b) Armrest does not restrict any passenger from access to the main aircraft aisle, and<br>c) If armrest is missing, seat is secured in the full upright position. |
| 7)                              | Seat Belt Air Bag Restraint Systems       |                                    |   |                  |                                                                                                                                                                                                                                                                                 |
| a)                              | Seat Belt Air Bags Required by 14 CFR     | D                                  | - | -                | May be inoperative provided affected seat is blocked and placarded "DO NOT OCCUPY".                                                                                                                                                                                             |
| b)                              | Seat Belt Air Bags Not Required by 14 CFR | D                                  | - | -                | May be inoperative or disconnected provided seat belt operates normally.                                                                                                                                                                                                        |

| AIRCRAFT:<br>FALCON 900EX       |                                                              | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>25-5 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|--------------------------------------------------------------|------------------------------------|---|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                              | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                              | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                              | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                              | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 25                              | EQUIPMENT/FURNISHINGS                                        |                                    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 3.                              | Forward Observer Seat<br>(Including Associated<br>Equipment) | A                                  | 1 | 0                | <p>May be inoperative provided:</p> <ul style="list-style-type: none"> <li>a) A passenger seat in the passenger cabin is made available to an FAA inspector for the performance of official duties, and</li> <li>b) Repairs are made within 2 flight days.</li> </ul>                                                                                                                                                                                                                                                                                                                    |
|                                 |                                                              | A                                  | 1 | 0                | <p>May be inoperative provided:</p> <ul style="list-style-type: none"> <li>a) Required minimum safety equipment (oxygen and safety belt) is available,</li> <li>b) Seat is acceptable to the FAA inspector for the performance of official duties, and</li> <li>c) Repairs are made within 2 flight days.</li> </ul> <p>NOTE 1: These provisos are intended to provide for occupancy of the above seat by an FAA inspector when the minimum safety equipment (oxygen and safety belt) is functional and the inspector determines the conditions to be acceptable.</p> <p>(Continued)</p> |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                                                                          | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>25-6 |                                                                                                                                                                                                                                                                     |
|---------------------------------|------------------------------------------------------------------------------------------|------------------------------------|---|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                                          | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                                                     |
|                                 |                                                                                          | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                                                     |
|                                 |                                                                                          | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                                                     |
|                                 |                                                                                          | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                                                     |
| 25                              | EQUIPMENT/FURNISHINGS                                                                    |                                    |   |                  |                                                                                                                                                                                                                                                                     |
| 3.                              | Forward Observer Seat<br>(Including Associated<br>Equipment)<br>(Cont'd)                 |                                    |   |                  | NOTE 2: The pilot-in-command will determine if the minimum safety equipment is functional for other persons authorized to occupy any observer seat.<br><br>NOTE 3: When not occupied, the observer seat must be stowed so as to not impede egress from the cockpit. |
| 1)                              | For an operator other than a holder of an air carrier or commercial operator certificate | D                                  | - | 0                | NOTE: The pilot-in-command will determine if the minimum safety equipment is functional for other persons authorized to occupy any observer seat.                                                                                                                   |
| 4.                              | Emergency Locator Transmitter (ELT)                                                      |                                    |   |                  |                                                                                                                                                                                                                                                                     |
| 1)<br>***                       | Survival Type ELTs                                                                       | D                                  | - | -                | Any in excess of those required by 14 CFR may be inoperative or missing.                                                                                                                                                                                            |
| 2)<br>***                       | Fixed ELTs                                                                               | A                                  | - | 0                | (M) May be inoperative provided:<br>a) System is deactivated, and<br>b) Repairs are made within 90 days.                                                                                                                                                            |
|                                 |                                                                                          | A                                  | - | 0                | May be missing provided repairs are made within 90 days.                                                                                                                                                                                                            |
|                                 |                                                                                          | D                                  | - | -                | (M) Any in excess of those required by 14 CFR may be inoperative provided system is deactivated.                                                                                                                                                                    |
|                                 |                                                                                          | D                                  | - | -                | Any in excess of those required by 14 CFR may be missing.                                                                                                                                                                                                           |
| 5.                              | Flight Phone                                                                             | D                                  | - | 0                |                                                                                                                                                                                                                                                                     |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                       |                                                              | REVISION NO: 9                  |   |   | PAGE NO.                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------|--------------------------------------------------------------|---------------------------------|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FALCON 900EX                    |                                                              | DATE: 10/20/2016                |   |   | 25-7                                                                                                                                                                                                                                                                                                                                                               |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                              | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                    |
|                                 |                                                              | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                    |
|                                 |                                                              | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                    |
|                                 |                                                              | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                    |
| 25                              | EQUIPMENT/FURNISHINGS                                        |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                    |
| 6.                              | Lavatory Door Ashtrays                                       |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                    |
| 1)                              | Airplanes With More Than One Lavatory Door Ashtray Installed | A                               | - | - | One may be missing provided it is replaced within 10 consecutive calendar-days.                                                                                                                                                                                                                                                                                    |
| 2)                              | Airplanes With Only One Lavatory Door Ashtray Installed      | A                               | 1 | 0 | May be missing provided it is replaced within 3 consecutive calendar-days.                                                                                                                                                                                                                                                                                         |
| 7.                              | Passenger Convenience/NEF Items                              |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                    |
| ***                             | Non-Essential Equipment and Furnishings (NEF)                |                                 | - | 0 | May be inoperative, damaged, or missing provided that the item(s) is deferred in accordance with the operator's NEF deferral program. The NEF program, procedures, and processes are outlined in the operators (insert name) Manual. (M) and (O) procedures, if required, must be available to the flightcrew and included in the operator's appropriate document. |
|                                 |                                                              |                                 |   |   | NOTE: Exterior lavatory door ashtrays are not considered NEF items.                                                                                                                                                                                                                                                                                                |
| 8.                              | Security System                                              | D                               | 1 | 0 |                                                                                                                                                                                                                                                                                                                                                                    |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

25-8

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                | 1. REPAIR CATEGORY       |   |                                 |                                                                                                                     |
|---------------------------------|----------------------------------------------------------------|--------------------------|---|---------------------------------|---------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                | 2. NUMBER INSTALLED      |   | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                     |
|                                 |                                                                | 4. REMARKS OR EXCEPTIONS |   |                                 |                                                                                                                     |
|                                 |                                                                |                          |   |                                 |                                                                                                                     |
| 25                              | EQUIPMENT/FURNISHINGS                                          |                          |   |                                 |                                                                                                                     |
| 9.                              | Emergency Vision Assurance System (EVAS)<br>(STC # SA00892LA)  | C                        | - | 0                               |                                                                                                                     |
| 10.                             | Aircraft Ladders                                               | C                        | 3 | 0                               | (M) One or more may be inoperative or removed.                                                                      |
| 11.                             | Exterior Baggage Door                                          | C                        | 1 | 0                               | (M) May be inoperative provided door is verified closed and secured prior to each departure.                        |
| 12.                             | Baggage Compartment Shelves                                    |                          |   |                                 |                                                                                                                     |
| 1)                              | Shelf Stowage Straps                                           | D                        | 2 | 0                               | One or more may be inoperative or removed provided the shelves remain in the down position.                         |
| 2)                              | Shelf Support Straps                                           | D                        | 4 | 0                               | One or more may be inoperative or removed provided the shelves remain in the stowed (up) position and are not used. |
| 13.                             | Overwater Equipment (Flotation Devices/Rafts)                  | D                        | - | -                               | Any in excess of those required by 14 CFR may be inoperative or missing.                                            |
| 14.                             | Crewmember Flashlight Holder Assemblies (Including Flashlight) | C                        | - | -                               | May be inoperative or missing provided crewmember has a flashlight of equivalent characteristics readily available. |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                 |                                                                    | REVISION NO: 9                  |   | PAGE NO. |                                                                                                                                                                                                                                                |
|---------------------------|--------------------------------------------------------------------|---------------------------------|---|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FALCON 900EX              |                                                                    | DATE: 10/20/2016                |   | 25-9     |                                                                                                                                                                                                                                                |
| SYSTEM & SEQUENCE NUMBERS |                                                                    | 1. REPAIR CATEGORY              |   |          |                                                                                                                                                                                                                                                |
|                           |                                                                    | 2. NUMBER INSTALLED             |   |          |                                                                                                                                                                                                                                                |
|                           |                                                                    | 3. NUMBER REQUIRED FOR DISPATCH |   |          |                                                                                                                                                                                                                                                |
|                           |                                                                    | 4. REMARKS OR EXCEPTIONS        |   |          |                                                                                                                                                                                                                                                |
| 25                        | EQUIPMENT/FURNISHINGS                                              |                                 |   |          |                                                                                                                                                                                                                                                |
| 15.                       | Cockpit Convenience Items                                          |                                 |   |          | Refer to item 25-7 Non-Essential Equipment and Furnishings (NEF).                                                                                                                                                                              |
| 16.                       | Keyed Locks                                                        | C                               | - | 0        | (O) May be inoperative provided the associated door, compartment, or cap is verified secure before each departure.                                                                                                                             |
| 17.                       | Automatic External Defibrillator (AED) and/or Associated Equipment | A                               | - | 0        | (O) May be incomplete, missing, or inoperative provided:<br>a) AED is resealed in a manner that will identify it as a unit that cannot be mistaken for a fully serviceable unit, and<br>b) Repairs or replacements are made within one flight. |
|                           |                                                                    | D                               | - | -        | Any in excess of those required by 14 CFR may be incomplete, missing, or inoperative.                                                                                                                                                          |
| 18.                       | Emergency Medical Kit (EMK) and/or Associated Equipment            | A                               | - | 0        | (O) May be incomplete, missing, or inoperative provided:<br>a) EMK is resealed in a manner that will identify it as a unit that cannot be mistaken for a fully serviceable unit, and<br>b) Repairs or replacements are made within one flight. |
|                           |                                                                    | D                               | - | -        | Any in excess of those required by 14 CFR may be incomplete, missing, or inoperative.                                                                                                                                                          |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                                 | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>25-10 |                                                                                                                                                                                                                                                                                                                                |
|---------------------------------|-------------------------------------------------|------------------------------------|---|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                 | 1. REPAIR CATEGORY                 |   |                   |                                                                                                                                                                                                                                                                                                                                |
|                                 |                                                 | 2. NUMBER INSTALLED                |   |                   |                                                                                                                                                                                                                                                                                                                                |
|                                 |                                                 | 3. NUMBER REQUIRED FOR DISPATCH    |   |                   |                                                                                                                                                                                                                                                                                                                                |
|                                 |                                                 | 4. REMARKS OR EXCEPTIONS           |   |                   |                                                                                                                                                                                                                                                                                                                                |
| 25                              | EQUIPMENT/FURNISHINGS                           |                                    |   |                   |                                                                                                                                                                                                                                                                                                                                |
| 19.                             | First Aid Kit (FAK) and/or Associated Equipment | A                                  | - | -                 | (O) If more than one is required by 14 CFR, only one of the required first aid kits may be incomplete, missing, or inoperative provided:<br>a) FAK is resealed in a manner that will identify it as a unit that cannot be mistaken for a fully serviceable unit, and<br>b) Repairs or replacements are made within one flight. |
|                                 |                                                 | D                                  | - | -                 | Any in excess of those required by 14 CFR may be incomplete, missing, or inoperative.                                                                                                                                                                                                                                          |
| 20.<br>***                      | Galley-to-Cabin Sliding Door ("Pocket" Door)    | D                                  | 1 | 0                 | (M) May be inoperative provided the door is secured in open position using an acceptable means.                                                                                                                                                                                                                                |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

26-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 26 | FIRE PROTECTION              |   |   |   |                                                                                                                     |
|----|------------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------|
| 1. | APU Fire Warning System      | C | 1 | 0 | (M) May be inoperative provided APU is not used.                                                                    |
| 2. | APU Fire Extinguisher System | C | 1 | 0 | (M) May be inoperative provided:<br>a) APU is not used, and<br>b) Fire extinguisher pressure is verified operative. |
|    |                              | C | 1 | 0 | May be inoperative provided<br>a) APU is not used, and<br>b) Baggage compartment remains empty.                     |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

26-2

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|    |                          |   |   |   |                                                                                                                                                                   |
|----|--------------------------|---|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 26 | FIRE PROTECTION          |   |   |   |                                                                                                                                                                   |
| 3. | Baggage Compartment      |   |   |   |                                                                                                                                                                   |
| 1) | Smoke Detector           | C | 1 | 0 | May be inoperative provided:<br>a) Only non-combustible materials are carried, and<br>b) Mechanic's servicing compartment fire detector system operates normally. |
|    |                          | C | 1 | 0 | May be inoperative provided baggage compartment remains empty.                                                                                                    |
| 2) | Fire Extinguisher System | C | 1 | 0 | May be inoperative provided:<br>a) Baggage compartment remains empty, and<br>b) Fire extinguisher pressure is verified operative.                                 |
|    |                          | C | 1 | 0 | May be inoperative provided:<br>a) Baggage compartment remains empty, and<br>b) APU is not used.                                                                  |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

26-3

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

26 FIRE PROTECTION

4. Hand Fire Extinguishers

D

-

-

Any in excess of those required by 14 CFR may be inoperative or missing provided:

- a) Inoperative fire extinguisher is tagged inoperative, removed from the installed location, and placed out of sight so it cannot be mistaken for a functional unit, and
- b) Required distribution is maintained.

5. Lavatory Smoke Detector  
\*\*\* System

D

-

0

Any in excess of those required by 14 CFR may be inoperative.

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

27-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 27 | FLIGHT CONTROLS                 |   |   |   |                                                                                                                                                                                                                                                                                                                                                   |
|----|---------------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | T/O CONFIG Warning Light        | C | 1 | 0 | (M) May be inoperative provided aural warning is operative.                                                                                                                                                                                                                                                                                       |
| 2. | AILERON Trim Control System     | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Roll Trim is verified in neutral position,<br>b) Rudder trim system is verified operative,<br>c) TRIM AILERON circuit breaker is pulled and collared,<br>d) Fuel quantity indications are operative, and<br>e) Fuel imbalance between number 1 and number 3 tank system is limited to 500 lbs. or less. |
| 3. | AILERON Trim Position Indicator | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Aileron trim control system is verified operative,<br>b) Roll Trim is verified in neutral position, and<br>c) Aileron control surfaces are visually verified in the same position.                                                                                                                      |
| 4. | AIL ZERO Caution Light          | B | 1 | 0 | (M)(O) May be inoperative provided it is verified before each departure that left and right ailerons are in same position when aileron trim is set to zero.                                                                                                                                                                                       |

| AIRCRAFT:                       |                                   | REVISION NO: 9                  |   | PAGE NO. |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------|-----------------------------------|---------------------------------|---|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FALCON 900EX                    |                                   | DATE: 10/20/2016                |   | 27-2     |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                   | 1. REPAIR CATEGORY              |   |          |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                 |                                   | 2. NUMBER INSTALLED             |   |          |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                 |                                   | 3. NUMBER REQUIRED FOR DISPATCH |   |          |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                 |                                   | 4. REMARKS OR EXCEPTIONS        |   |          |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 27                              | FLIGHT CONTROLS                   |                                 |   |          |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 5.                              | Arthur AIL FEEL Caution Light     | C                               | 1 | 0        | (M) May be inoperative provided roll control forces are verified in low speed configuration before each departure.                                                                                                                                                                                                                                                                                                                   |
| 6.                              | Aileron Arthur Variable Bellcrank | C                               | 1 | 0        | (M)(O) May be inoperative provided:<br>a) Roll control forces are verified to be in low speed configuration before each departure,<br>b) AIL FEEL circuit breaker is pulled and collared, and<br>c) AFM limitations are observed.                                                                                                                                                                                                    |
| 7.                              | Rudder Trim Control System        | A                               | 1 | 0        | (M)(O) May be inoperative provided:<br>a) Rudder trim is verified in neutral position before each departure,<br>b) Aileron trim system is verified operative,<br>c) TRIM RUDDER circuit breaker is pulled and collared,<br>d) Fuel quantity indications are operative,<br>e) Fuel imbalance between number 1 and number 3 tank system is limited to 500 lbs. or less, and<br>f) Repairs are made within 2 consecutive calendar-days. |

| AIRCRAFT:<br>FALCON 900EX       |                                          | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>27-3 |                                                                                                                                                                                                                               |
|---------------------------------|------------------------------------------|------------------------------------|---|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                          | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                               |
|                                 |                                          | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                               |
|                                 |                                          | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                               |
|                                 |                                          | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                               |
| 27                              | FLIGHT CONTROLS                          |                                    |   |                  |                                                                                                                                                                                                                               |
| 8.                              | Rudder Trim Position Indicator           | C                                  | 1 | 0                | (M)(O) May be inoperative provided:<br>a) Rudder trim control system is verified operative, and<br>b) Rudder is verified to be in the neutral position with yaw damper off before each departure.                             |
| 9.                              | Horizontal Stabilizer Position Indicator | C                                  | 1 | 0                | (M)(O) May be inoperative provided:<br>a) Stabilizer is verified to between the two takeoff reference marks before each departure,<br>b) Stabilizer trim is operative,<br>c) T/O CONFIG warning system is verified operative. |
| 10.                             | PITCH FEEL Caution Light                 | B                                  | 1 | 0                | (M)(O) May be inoperative provided:<br>a) Arthur bellcrank low speed position is verified before each departure,<br>b) Airspeed does not exceed 220 KIAS/.74 Mach, and<br>c) AFM limitations are observed.                    |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 9<br>DATE: 10/20/2016 | PAGE NO.<br>27-4 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                        | 1. REPAIR CATEGORY  |   |                                 |                                                                                                                                                                                                                                                                     | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|----------------------------------------|---------------------|---|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                                        | 2. NUMBER INSTALLED |   | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                                                                                                                                                                     |                          |
|                                 |                                        |                     |   |                                 |                                                                                                                                                                                                                                                                     |                          |
|                                 |                                        |                     |   |                                 |                                                                                                                                                                                                                                                                     |                          |
| 27                              | FLIGHT CONTROLS                        |                     |   |                                 |                                                                                                                                                                                                                                                                     |                          |
| 11.                             | Elevator Arthur Variable Bellcrank     | B                   | 1 | 0                               | (M)(O) May be inoperative provided:<br>a) PITCH FEEL circuit breaker is pulled and collared,<br>b) Arthur bellcrank low speed position is verified before each departure,<br>c) Airspeed does not exceed 220 KIAS/.74 Mach, and<br>d) AFM limitations are observed. |                          |
| 12.                             | Emergency Slat Extension (EMERG SLATS) | B                   | 1 | 0                               | (O) May be inoperative provided:<br>a) Normal control is verified operative before each departure, and<br>b) AFM limitations are observed.                                                                                                                          |                          |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

27-5

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                          | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                        | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|--------------------------|---------------------------------|---|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                          | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                        |                          |
|                                 |                          | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                        |                          |
|                                 |                          |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                        |                          |
| 27                              | FLIGHT CONTROLS          |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                        |                          |
| 13.                             | Slat Configuration Panel |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                        |                          |
| 1)                              | Red Light                | C                               | 1 | 0 | (O) May be inoperative provided<br>airspeed does not exceed 200 KIAS.                                                                                                                                                                                                                                                                                                                                                  |                          |
| 2)                              | Green Light              | B                               | 1 | 0 | (O) May be inoperative provided:<br>a) Position of the slats and the<br>control are verified in<br>agreement before each<br>departure,<br>b) T/O CONFIG warning system<br>is verified operative,<br>c) Wing anti-ice lights are<br>operative, and<br>d) Red (in transit) light is<br>operative.                                                                                                                        |                          |
| 14.                             | STALL Test               | A                               | 2 | 1 | (M) One may be inoperative provided:<br>a) Emergency slats control is<br>verified operative and checked<br>before each departure,<br>b) Slat indications are operative,<br>c) An airspeed greater than<br>1.3 VS is maintained whenever<br>the slats are retracted,<br>d) Slats are extended with the<br>normal control at speeds below<br>200 KIAS, and<br>e) Repairs are made within<br>2 consecutive calendar-days. |                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                          | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>27-6 |                                                                                                                                                                                                                                        |
|---------------------------------|--------------------------|------------------------------------|---|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                          | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                        |
|                                 |                          | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                        |
|                                 |                          | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                        |
|                                 |                          | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                        |
| 27                              | FLIGHT CONTROLS          |                                    |   |                  |                                                                                                                                                                                                                                        |
| 15.                             | AUTO SLATS Light         | C                                  | 1 | 0                | (M)(O) May be inoperative provided:<br>a) Airspeed does not exceed 270 KIAS,<br>b) Slats are extended with normal control at speeds below 200 KIAS, and<br>c) Slat configuration panel is operative.                                   |
| 16.                             | STALL Aural Warning      |                                    |   |                  | (M) One may be inoperative provided:<br>a) Both the automatic slat extension and the automatic ignition system are operative, and<br>b) Slat configuration panel is operative.                                                         |
| 17.                             | FLAPS ASYM Caution Light | C                                  | 1 | 0                | (M)(O) May be inoperative provided:<br>a) Flap asymmetry protection system is operative, and<br>b) Flap asymmetry is verified before each departure.                                                                                   |
| 18.                             | AIRBRAKE Caution Light   | C                                  | 2 | 0                | (M)(O) One or more may be inoperative provided:<br>a) Airbrakes are verified operative,<br>b) Airbrakes are verified in the retracted position for each departure,<br>c) STALL tests are operative, and<br>d) T/O CONFIG is operative. |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

27-7

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

27 FLIGHT CONTROLS

19. Rudder Pedal Adjustment

C

2

0

(M)(O) One or more may be inoperative provided:  
 a) Adjustments can be secured in a position that suits individual pilot(s) requirements, and  
 b) Position of pedal(s) permits full rudder control movement.

|

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

28-1

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                        | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------|------------------------|---------------------------------|---|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                        | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                 |                        | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                 |                        | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 28                              | FUEL                   |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 1.                              | Side Engine Boost Pump | A                               | 2 | 1 | (M)(O) One may be inoperative provided: <ul style="list-style-type: none"> <li>a) Associated circuit breaker is pulled and collared,</li> <li>b) Crossfeed system is operative,</li> <li>c) Crossfeed system is used during engine start,</li> <li>d) Crossfeed system is used above 1,500 feet AGL,</li> <li>e) Fuel balance is maintained during flight,</li> <li>f) Wing tank pressurization is verified with engines running,</li> <li>g) Operations are limited to 17,000 feet MSL if JP4 or Jet B fuel is utilized, or FL 290 if Jet A or Jet 1A fuel is used, and</li> <li>h) Repairs are made within 3 consecutive calendar-days.</li> </ul> |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

28-2

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 28 | FUEL                     |   |   |   |                                                                                                                                                                                                                                                                                                                                                                                                  |
|----|--------------------------|---|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2. | Center Engine Boost Pump | C | 2 | 1 | (M)(O) One may be inoperative provided:<br>a) Associated circuit breaker is pulled and collared,<br>b) Both side engine boost pumps are operative,<br>c) Fuel tank pressurization is verified with engines running,<br>d) Fuel quantity indicator is operative, and<br>e) Operations are limited to 17,000 feet MSL if JP4 or Jet B fuel is utilized, or FL 290 if Jet A or Jet 1A fuel is used. |
| 3. | XTK 1-3 Valve            | C | 1 | 0 | (M) May be inoperative closed provided:<br>a) Both side engine boost pumps are operative, and<br>b) Fuel tank pressurization is verified with engines running.                                                                                                                                                                                                                                   |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

28-3

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 28 | FUEL                   |   |   |   |                                                                                                                                                                                                                                                                                                                                                             |
|----|------------------------|---|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4. | XBP 1-3 System         | C | 2 | 0 | (M)(O) One or more may be inoperative closed provided: <ul style="list-style-type: none"> <li>a) Both side engine boost pumps are operative, and</li> <li>b) 1-2 and 2-3 crossfeed systems are verified operative,</li> <li>c) Fuel tank pressurization is verified with engines running, and</li> <li>d) Fuel quantity indication is operative.</li> </ul> |
| 5. | XBP 1-2 and 2-3 Valves | C | 2 | 1 | (M)(O) One may be inoperative closed provided: <ul style="list-style-type: none"> <li>a) Both center engine boost pumps are operative,</li> <li>b) Remaining crossfeed system is operative, and</li> <li>c) Fuel tank pressurization is verified with engines running.</li> </ul>                                                                           |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                                             | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>28-4 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------|-------------------------------------------------------------|------------------------------------|---|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                             | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                 |                                                             | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                 |                                                             | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                 |                                                             | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 28                              | FUEL                                                        |                                    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 6.                              | Number 1 and Number 3 Tank Quantity Indicating System (EID) | C                                  | 2 | 1                | (M)(O) Indicating system for one group of tanks may be inoperative provided:<br>a) Fuel quantity is determined by other acceptable means,<br>b) Fuel Flow/Fuel Used indicators are operative,<br>c) LVL message on EID is operative,<br>d) LO FUEL warning lights are operative, and<br>e) Partial fueling selector is not used.                                                                                                                                          |
| 7.                              | Number 2 Fuel Quantity Indication (EID)                     | B                                  | 1 | 0                | (M) May be inoperative provided:<br>a) Initial quantity in Front and Center Tanks is verified less than 5,500 lbs. by an acceptable means,<br>b) Number 2 engine Fuel Flow indication is operative,<br>c) LVL message on EID is operative,<br>d) LO FUEL warning lights are operative,<br>e) Rear compartment tank remains empty,<br>f) Refueling is performed by an acceptable alternate procedure, and<br>g) LP crossfeed (XBP 1-2, 2-3) valves are verified operative. |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

28-5

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                            | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                    |
|---------------------------------|----------------------------|---------------------------------|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                            | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                    |
|                                 |                            | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                    |
|                                 |                            | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                    |
| 28                              | FUEL                       |                                 |   |   |                                                                                                                                                                                                                    |
| 8.                              | CENTRAL TANK Warning Light | C                               | 1 | 0 | (M) May be inoperative provided:<br>a) XTK electrical valve is secured closed,<br>b) XTK manual valve is secured closed,<br>c) Number 2 fuel quantity is operative, and<br>d) Rear compartment tank remains empty. |
| 9.                              | XTK Electric Valve         | C                               | 1 | 0 | (M) May be inoperative provided:<br>a) Valve is secured in closed position,<br>b) Number 2 fuel quantity is operative, and<br>c) Rear compartment tank remains empty.                                              |
| 10.                             | XTR Manual Valve           | C                               | 1 | 0 | (M) May be inoperative provided:<br>a) Valve is secured in closed position,<br>b) Number 2 fuel quantity is operative, and<br>c) Rear compartment tank remains empty.                                              |
| 11.                             | LVL Messages on EID        | C                               | 3 | 0 | (M) One or more may be inoperative provided:<br>a) Fuel quantity indicating system is operative, and<br>b) LO FUEL light is verified operative.                                                                    |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

28-6

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS | 1. REPAIR CATEGORY          | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS |                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|-----------------------------|---------------------|---------------------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 28                              | FUEL                        |                     |                                 |                          |                                                                                                                                                                                                                                                                                                                                                                          |
| 12.                             | Fuel Temperature Indication | C                   | 1                               | 0                        | (O) May be inoperative provided:<br>a) Boost pumps, transfer systems, and engine crossfeed are operative, and<br>b) Operations are conducted at a TAT no less than 13 degrees C below the freeze point of the fuel being used.                                                                                                                                           |
| 13.                             | LO FUEL Warning Lights      | B                   | 3                               | 2                        | (M) One may be inoperative provided:<br>a) Fuel quantity indicating system is operative, and<br>b) LOVL messages on EID are operative.                                                                                                                                                                                                                                   |
| 14.                             | Pressure Fueling System     | C                   | 1                               | 0                        | (O) May be inoperative OFF provided cockpit FUELING caution light is operative.                                                                                                                                                                                                                                                                                          |
| 1)                              | Vent Valves                 | C                   | 3                               | 0                        | (M) One or more may be inoperative provided:<br>a) Affected vent valve(s) is(are) manually opened prior to refueling and manually closed after refueling,<br>b) If STOP FUELING red indicator remains lighted after opening of the vent valves, gravity refueling is used, and<br>c) Cockpit FUELING caution light is operative and extinguishes after closing sequence. |
| 2)                              | Partial Refueling System    | B                   | 1                               | 0                        | NOTE: Full mode refueling is available.                                                                                                                                                                                                                                                                                                                                  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

28-7

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                 |
|---------------------------------|--------------------------------|---------------------------------|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                 |
|                                 |                                | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                 |
|                                 |                                | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                 |
| 28                              | FUEL                           |                                 |   |   |                                                                                                                                                                                                                                                                                 |
| 15.                             | FUELING Caution Light          | C                               | 1 | 0 | (M) May be inoperative provided it is verified:<br>a) Both fueling panel access doors are closed,<br>b) Fuel tanks are properly pressurized with engines running,<br>c) Defueling valve is closed, and<br>d) DEFUELING switch remains OFF.                                      |
| 16.                             | Central Tanks Refueling System | B                               | 1 | 0 | (O) May be inoperative provided:<br>a) XBP 1-2 valve is operative,<br>b) Center Engine Gauging System is operative,<br>c) Actual fuel quantity is verified adequate for each flight,<br>d) Rear+ Tank is verified empty, and<br>e) Total fuel quantities are verified balanced. |
| 17.                             | Rear+ Tank Refueling System    | B                               | 1 | 0 | (O) May be inoperative provided:<br>a) XBP 1-2 valve is operative,<br>b) Center Engine Gauging System is operative,<br>c) Actual fuel quantity is verified adequate for each flight,<br>d) Rear+ Tank is verified empty, and<br>e) Total fuel quantities are verified balanced. |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

29-1

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                    | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                 |
|---------------------------------|----------------------------------------------------|---------------------------------|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                    | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                 |
|                                 |                                                    | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                 |
|                                 |                                                    | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                 |
| 29                              | HYDRAULIC POWER                                    |                                 |   |   |                                                                                                                                                                                                                 |
| 1.                              | HYDR PUMP Caution Lights                           | C                               | 3 | 2 | (O) One may be inoperative provided:<br>a) Associated hydraulic system pressure indicator is operative and monitored during flight, and<br>b) Standby hydraulic pump is verified operative before engine start. |
| 2.                              | #1 System Hydraulic Pressure Indicator             | C                               | 1 | 0 | May be inoperative provided HYDR#1 PUMP#1 and HYDR#1 PUMP#3 caution lights are operative.                                                                                                                       |
| 3.                              | #2 System Hydraulic Pressure Indicator             | C                               | 1 | 0 | (M) May be inoperative provided:<br>a) HYDR#2 PUMP#2 caution light is operative, and<br>b) Standby hydraulic pump is verified operative prior to engine start.                                                  |
| 4.                              | No.1 and No.2 Hydraulic Quantity Indications (EID) | C                               | 2 | 1 | (M) One may be inoperative provided associated reservoir fluid quantity is verified to be adequate before each departure.                                                                                       |
| 5.                              | ST/BY PUMP Caution Light                           | C                               | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Standby pump selector valve is secured in the No.2 system position, and<br>b) Standby hydraulic pump is verified operative before engine start.                       |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

29-2

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                           | 1. REPAIR CATEGORY  |   |                                 |                                                                                                                                                                                                                                            | 4. REMARKS OR EXCEPTIONS |  |
|---------------------------------|-------------------------------------------|---------------------|---|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--|
|                                 |                                           | 2. NUMBER INSTALLED |   | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                                                                                                                                            |                          |  |
|                                 |                                           |                     |   |                                 |                                                                                                                                                                                                                                            |                          |  |
|                                 |                                           |                     |   |                                 |                                                                                                                                                                                                                                            |                          |  |
| 29                              | HYDRAULIC POWER                           |                     |   |                                 |                                                                                                                                                                                                                                            |                          |  |
| 6.                              | No. 1 Hydraulic System Accumulator        | C                   | 1 | 0                               |                                                                                                                                                                                                                                            |                          |  |
| 7.                              | Hydraulic Accumulator Pressure Indicators | C                   | 4 | 0                               | (M) One or more may be inoperative provided an alternate procedure to verify accumulator pressure is established and used.                                                                                                                 |                          |  |
| 8.                              | Hydraulic Filter Clogging Indicators      | A                   | 9 | 8                               | (M) One may be tripped red provided:<br>a) Associated HYDR PUMP caution light is extinguished,<br>b) Reset of the tripped hydraulic filter clogging indicator is performed, and<br>c) Repairs are made within 3 consecutive calendar-days. |                          |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

30-1

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                            | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                   |
|---------------------------------|----------------------------|---------------------------------|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                            | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                   |
|                                 |                            | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                   |
|                                 |                            | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                   |
| 30                              | ICE AND RAIN PROTECTION    |                                 |   |   |                                                                                                                                                                                   |
| 1.                              | Wing Anti-Ice System       | C                               | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Wing anti-ice valve is verified in the closed position, and<br>b) Airplane is not operated in known or forecast icing conditions.       |
| 2.                              | Engine Anti-Ice Systems    | B                               | 3 | 2 | (M)(O) One may be inoperative provided:<br>a) Engine anti-ice valve is verified in the closed position, and<br>b) Airplane is not operated in known or forecast icing conditions. |
| 3.                              | ANTI-ICE caution Light     | C                               | 1 | 0 | (O) May be inoperative provided anti-ice overhead panel warning lights are operative and are monitored during flight.                                                             |
| 4.                              | Windshield DE-FOG System   | C                               | 2 | 0 | One or more may be inoperative provided windshield heating systems are operative.                                                                                                 |
| 5.                              | Windshield Heating Systems | C                               | 2 | 1 | (O) One may be inoperative provided:<br>a) Remaining side is operative, and<br>b) Airplane is not operated in known or forecast icing conditions.                                 |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

30-2

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                  | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                     | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|--------------------------------------------------|---------------------------------|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                                                  | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                     |                          |
|                                 |                                                  | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                     |                          |
|                                 |                                                  |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                     |                          |
| 30                              | ICE AND RAIN PROTECTION                          |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                     |                          |
| 6.                              | Side and Rear Flight Deck Windows Heating System | C                               | 1 | 0 |                                                                                                                                                                                                                                                                                                                                                     |                          |
| 7.                              | Windshield Wipers                                | C                               | 2 | 0 | One or more may be inoperative or missing provided airplane is not operated in precipitation within 5 nautical miles of the airport of takeoff or intended landing.                                                                                                                                                                                 |                          |
|                                 |                                                  | B                               | 2 | 1 | (M) One may be inoperative in non-rest position provided:<br>a) Airplane is not operated in precipitation within 5 nautical miles of the airport of takeoff or intended landing,<br>b) Pilot flying is on the non-affected side,<br>c) Airplane is operated with a maximum speed of 215 knots, and<br>d) Associated breaker is pulled and collared. |                          |
| 8.                              | Pitot Probe Heating Systems                      | B                               | 3 | 2 | One may be inoperative provided flight is not conducted in Instrument Meteorological Conditions (IMC), visible moisture, icing conditions, or at night.                                                                                                                                                                                             |                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

30-3

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                        | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                |
|---------------------------------|----------------------------------------|--------------------|---------------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 30                              | ICE AND RAIN PROTECTION                |                    |                     |                                 |                                                                                                                                                                                         |
| 9.                              | PROBE HEATING Caution Light            | B                  | 1                   | 0                               | (M)(O) May be inoperative provided:<br>a) All heaters are verified operative before each departure, and<br>b) Airplane is not operated in known or forecast icing conditions.           |
| 10.                             | XFR Caution Light (Windshield)         | C                  | 1                   | 0                               | (M) May be inoperative provided the temperature controller, controller transfer system, and heating networks are verified operative.                                                    |
| 11.                             | Angle of Attack Sensor Heating Systems | C                  | 2                   | 1                               | (M)(O) One may be inoperative provided<br>a) Airplane is not operated in known or forecast icing conditions, and<br>b) Sensors asymmetry warning system (AUTOSLATS) light is operative. |
| 12.                             | TAT Probe Heating System               | B                  | 1                   | 0                               | (O) May be inoperative provided airplane is not operated in known or forecast icing conditions.                                                                                         |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

30-4

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                 | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                                                                        |
|---------------------------------|---------------------------------|--------------------|---------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 30                              | ICE AND RAIN PROTECTION         |                    |                     |                                 |                                                                                                                                                                                 |
| 13.<br>***                      | Brake Heating System<br>(M2675) | D                  | 1                   | 0                               | (M) May be inoperative provided:<br>a) Brake heating valves are secured in closed position, and<br>b) Brake heating system is not used (BRAKE switch on overhead panel is OFF). |
| 14.<br>***                      | Ice Detection System (M3257)    | C                  | 1                   | 0                               |                                                                                                                                                                                 |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                                                          | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>31-1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|--------------------------------------------------------------------------|------------------------------------|---|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                          | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                                          | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                                          | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                                          | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 31                              | INDICATING/RECORDING SYSTEMS                                             |                                    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 1.                              | Digital Flight Data Recorder (FDR)                                       | C                                  | - | -                | Any in excess of those required by 14 CFR may be inoperative.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                                 | Includes FDR function of Combined Voice and Flight Data Recorder (CVFDR) | A                                  | - | 0                | May be inoperative provided:<br>a) Cockpit Voice Recorder (CVR) operates normally,<br>b) Airplane is not dispatched from a designated airport as listed in the operator's MEL unless:<br>1. FDR failure occurs after pushback but prior to takeoff, or<br>2. FDR repair was attempted but was not successful.<br>c) In those cases where repairs is attempted but not successful, the aircraft may be dispatched on a flight or series of flight until the next designated airport where repair must be accomplished prior to dispatch, and<br>d) Repairs are made within 3 flight days. |
| 1)                              | FDR Recording Parameters Required by 14 CFR                              | A                                  | - | -                | Up to three recording parameters may be inoperative provided:<br>a) Cockpit Voice Recorder (CVR) operates normally, and<br>b) Repairs are made within 20 consecutive calendar-days.                                                                                                                                                                                                                                                                                                                                                                                                      |
| (Continued)                     |                                                                          |                                    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

31-2

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                                          | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                   |
|---------------------------------|------------------------------------------------------------------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                                          | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                   |
|                                 |                                                                                          | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                   |
|                                 |                                                                                          | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                   |
| 31                              | INDICATING/RECORDING SYSTEMS                                                             |                                 |   |   |                                                                                                                                                                   |
| 1.                              | Digital Flight Data Recorder (FDR) (Cont'd)                                              |                                 |   |   |                                                                                                                                                                   |
| 2)                              | FDR Recording Parameters Not Required by 14 CFR                                          | A                               | - | - | May be inoperative provided repairs are made prior to the completion of the next heavy maintenance visit.                                                         |
| 3)                              | For an Operator Other Than a Holder of an Air Carrier or Commercial Operator Certificate | C                               | - | 1 | Any in excess of those required by 14 CFR may be inoperative.                                                                                                     |
|                                 |                                                                                          | A                               | - | 0 | May be inoperative provided repairs are made in accordance with 14 CFRs.                                                                                          |
| 2.                              | Clocks                                                                                   | C                               | 2 | 1 | One may be inoperative at either the pilot or copilot station.                                                                                                    |
| 3.                              | SAT/TAT/TAS Indications                                                                  | C                               | 2 | 1 | One may be inoperative.                                                                                                                                           |
| 4.                              | Data Acquisition Units (DAU)                                                             |                                 |   |   |                                                                                                                                                                   |
| 1)                              | Channels                                                                                 | A                               | 4 | 3 | (O) One channel may be inoperative provided:<br>a) Engine oil temperature indication is operative, and<br>b) Repairs are made within 3 consecutive calendar-days. |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

31-3

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 31        | INDICATING/RECORDING SYSTEMS        |   |   |   |                                                                                                                                                                                                                                                           |
|-----------|-------------------------------------|---|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.<br>*** | Quick Access Recorder (QAR) (M3352) | C | 1 | 0 | May be inoperative provided:<br>a) No Digital Flight Data Recorder (DFDR) or Flight Data Acquisition Unit (FDAU) failure is displayed on the Data Entry Control Panel (DECP), and<br>b) No DFDR fault is reported on the Engine Instrument Display (EID). |
|           |                                     |   | 1 | 0 | May be inoperative provided the DFDR (item 31-1) is considered inoperative.                                                                                                                                                                               |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

32-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                           | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                          |
|---------------------------------|---------------------------|--------------------|---------------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| 32                              | LANDING GEAR              |                    |                     |                                 |                                                                                                                                   |
| 1.                              | L/G Handle Flashing Light | C                  | 1                   | 0                               | (O) May be inoperative provided:<br>a) L/G position indications on PDUs are operative, and<br>b) GEAR aural warning is operative. |
| 2.                              | BRAKE ACCU Caution Light  | C                  | 1                   | 0                               | (M) May be inoperative provided the park brake accumulator pressure is verified adequate once each flight day.                    |
| 3.                              | #2 P. BK Caution Light    | C                  | 1                   | 0                               | (M) May be inoperative provided TAKEOFF warning system is operative.                                                              |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                                                                                           | REVISION NO: 9<br>DATE: 10/20/2016 |   | PAGE NO.<br>32-2 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------|---|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                                                           | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                 |                                                                                                           | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                 |                                                                                                           | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                 |                                                                                                           | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 32                              | LANDING GEAR                                                                                              |                                    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 4.                              | Anti-Skid System (Including Annunciator Lights)                                                           |                                    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1)                              | DRY Runways                                                                                               | C                                  | 1 | 0                | (O) May be inoperative provided operations are conducted in accordance with the Performance data of the AFM.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 2)                              | Wet Runways (No Standing Water Present in Area of Takeoff Ground Roll, No Snow, No Icy Runway Conditions) | C                                  | 1 | 0                | (O) May be inoperative provided:<br>a) Operations are limited to utilization of PFCO or grooved runway,<br>b) Thrust Reversers operate normally,<br>c) Acceptable Performance Data from an analysis of the Accelerate Stop Capability on Wet Runway Surfaces is developed and used,<br>d) Cross wind component for both departure and arrival runways is forecast to be 15 knots or less,<br>e) Acceptable Performance Data Report is referenced in the Operator's Minimum Equipment List (MEL) by Report Name, Number, Revision Number, and Acceptance Data.<br>f) Performance Data Report assumes that reverse thrust action is terminated at 60 knots, and<br>g) Wet runway landing conditions are conducted in accordance with available landing performance data in the AFM. |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

32-3

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------|--------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                                 |                                | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                                 |                                | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 32                              | LANDING GEAR                   |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 5.                              | Landing Gear Retraction System | A                               | 1 | 0 | (M)(O) May be inoperative for three flights or 2 consecutive calendar-days, whichever occurs first, provided: <ul style="list-style-type: none"> <li>a) No abnormal L/G configuration panel indications displayed during last previous flight before failure occurred,</li> <li>b) L/G configuration panel is operative,</li> <li>c) Landing gears are down and locked,</li> <li>d) Main landing gear doors are closed,</li> <li>e) L/G control lever was not jammed in down position during the flight where the failure occurred,</li> <li>f) L/G control lever is placarded in down position by a "DO NOT ACTUATE" red placard,</li> <li>g) EGPWS (item 34-18) is considered inoperative, and</li> <li>h) AFM limitations are observed.</li> </ul> |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

33-1

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                             | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------|-----------------------------------------------------------------------------|---------------------------------|---|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                             | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                 |                                                                             | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                 |                                                                             | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 33                              | LIGHTS                                                                      |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 1.                              | Cockpit/Flight Deck/Flight<br>Compartment and Instrument<br>Lighting System | C                               | - | - | Individual lights may be inoperative provided:<br>a) Remaining Lighting System lights are sufficient to clearly illuminate all required instruments, controls, and other devices for which they are provided,<br>b) Remaining Lighting System lights are positioned so that direct rays are shielded from flightcrew members' eyes, and<br>c) Lighting configuration and intensity is acceptable to the flightcrew.<br><br>NOTE: Individual button/switch lights and/or annunciations/indications are excluded from this relief. |
| 2.                              | Passenger Cabin Normal<br>Lighting System                                   | C                               | 1 | - | Individual lights may be inoperative or missing provided:<br>a) Inoperative lights do not exceed 50% of the total installed,<br>b) Cabin emergency lighting system is operative, and<br>c) Cabin lighting is sufficient for crewmembers to perform required duties.                                                                                                                                                                                                                                                              |
| 3.                              | Rear Compartment and Nose<br>Cone Lights                                    | C                               | 2 | 0 | One or more may be inoperative.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 4.                              | Baggage Compartment Lights<br>(Interior and Exterior)                       | C                               | 2 | 0 | One or more may be inoperative.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

33-2

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 33        | LIGHTS                   |   |   |   |                                                                                           |
|-----------|--------------------------|---|---|---|-------------------------------------------------------------------------------------------|
| 5.        | Landing Lights           | C | 2 | 1 | One may be inoperative provided TAXI light is operative.                                  |
|           |                          | C | 2 | 0 | May be inoperative for other than night operations.                                       |
| 6.        | Taxi Light               | C | 1 | 0 | May be inoperative provided both landing lights are operative.                            |
|           |                          | C | 1 | 0 | May be inoperative for other than night operations.                                       |
| 7.        | Navigation Lights        |   |   |   |                                                                                           |
| 1)        | Without M2718            | C | 3 | 0 | May be inoperative from sunrise to sunset.                                                |
| 2)<br>*** | With M2718               | C | 5 | 3 | One or more may be inoperative provided at least one light is operative at each position. |
|           |                          | C | 5 | 0 | May be inoperative from sunrise to sunset.                                                |
| 8.        | Red ANTICOL Light System | B | 2 | 0 | One or more may be inoperative provided white ANTICOL light is operative.                 |
| 9.        | White ANTICOL Lights     | C | 3 | 0 | One or more may be inoperative provided Red ANTICOL Light System operative.               |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

33-3

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 33  | LIGHTS                             |   |   |   |                                                                                                          |
|-----|------------------------------------|---|---|---|----------------------------------------------------------------------------------------------------------|
| 10. | Wing Illumination Lights           | C | 2 | 0 | (O) One or more may be inoperative provided ground deicing procedures do not require their use.          |
| 11. | Exterior Emergency Lighting System | C | 1 | 0 | May be inoperative for other than night operations.                                                      |
| 12. | Passenger Lighted Information Sign | C | - | - | (O) May be inoperative provided alternate procedures are established and used to notify cabin occupants. |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

33-4

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                             | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------|---------------------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                             | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                       |
|                                 |                                             | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                       |
|                                 |                                             | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                       |
| 33                              | LIGHTS                                      |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                       |
| 13.<br>***                      | Logo Lights                                 | D                               | - | 0 |                                                                                                                                                                                                                                                                                                                                                       |
| 14.<br>***                      | Pulse Light System                          | D                               | 2 | 0 | One or more may be inoperative.                                                                                                                                                                                                                                                                                                                       |
| 15.                             | Pilot and Copilot Emergency Dome Light Bulb | C                               | - | - | One bulb may be inoperative.                                                                                                                                                                                                                                                                                                                          |
| 16.                             | Interior Emergency Lighting                 |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                       |
| 1)                              | Floor Emergency Escape Path Light           | A                               | - | - | (M) One may be inoperative provided:<br>a) Emergency escape path lights adjacent to passenger door and overwing emergency exit are operative,<br>b) Other interior emergency lights are operative,<br>c) Cabin sliding door(s) is(are) secured in open position before each departure, and<br>d) Repairs are made within 3 consecutive calendar-days. |
|                                 |                                             | C                               | - | 0 | One or more may be inoperative without passengers on board.<br><br>(Continued)                                                                                                                                                                                                                                                                        |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

33-5

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|     |                                      |   |   |   |                                                                      |
|-----|--------------------------------------|---|---|---|----------------------------------------------------------------------|
| 33  | LIGHTS                               |   |   |   |                                                                      |
| 16. | Interior Emergency Lighting (Cont'd) |   |   |   |                                                                      |
| 2)  | Bulkhead Exit Sign                   | C | - | - | May be inoperative provided no seat behind the bulkhead is occupied. |
| 3)  | Passenger Door                       |   |   |   |                                                                      |
| a)  | Exit Sign                            | C | 2 | 0 | One or more may be inoperative without passengers on board.          |
| b)  | Opening Instruction Sign             | C | 1 | 0 | May be inoperative without passengers on board.                      |
| c)  | Spotlight                            | C | 2 | 1 | One may be inoperative.                                              |
|     |                                      | C | 2 | 0 | One or more may be inoperative without passengers on board.          |
| 4)  | Overwing Emergency Exit              |   |   |   |                                                                      |
| a)  | Exit Sign                            | C | 2 | 0 | One or more may be inoperative without passengers on board.          |
| b)  | Handle Light                         | C | 1 | 0 | May be inoperative without passengers on board.                      |
| c)  | Opening Instruction Sign             | C | 1 | 0 | May be inoperative without passengers on board.                      |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 9<br>DATE: 10/20/2016 | PAGE NO.<br>34-1 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS | 1. REPAIR CATEGORY                                |   |   |   |                                                                                                                                                   |
|---------------------------------|---------------------------------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 | 2. NUMBER INSTALLED                               |   |   |   |                                                                                                                                                   |
|                                 | 3. NUMBER REQUIRED FOR DISPATCH                   |   |   |   |                                                                                                                                                   |
|                                 | 4. REMARKS OR EXCEPTIONS                          |   |   |   |                                                                                                                                                   |
| 34                              | NAVIGATION                                        |   |   |   |                                                                                                                                                   |
| 1.                              | Display Controller Panels (DCP)                   | A | 2 | 1 | Copilot position may be inoperative provided:<br>a) Reversion Switch Panels (RSP) are operative, and<br>b) Repairs are made within 3 flight days. |
| 2.                              | Reversion Switch Panels (RSP)                     | B | 2 | 1 | (O) May be inoperative provided:<br>a) Both Display Controller Panels (DSP) are operative, and<br>b) No reversion is selected.                    |
| 3.                              | Symbol Generators (Electronic Flight Instruments) | C | 3 | 2 | (M) One may be inoperative provided symbol generator isolation is verified once each flight day.                                                  |
| 4.                              | Attitude and Heading System (IRS)                 | D | - | 2 | Any in excess of the two required to independently power the Captain's and First Officer's system may be inoperative.                             |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 9<br>DATE: 10/20/2016 | PAGE NO.<br>34-2 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                            | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                       |  |
|---------------------------------|----------------------------|---------------------------------|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                                 |                            | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                       |  |
|                                 |                            | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                       |  |
|                                 |                            | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                       |  |
| 34                              | NAVIGATION                 |                                 |   |   |                                                                                                                                                                                       |  |
| 5.                              | Standby Attitude Indicator | C                               | - | 0 | (O) May be inoperative provided:<br>a) It is not required by 14 CFR,<br>and<br>b) Standby horizon battery is<br>operative.                                                            |  |
|                                 |                            | B                               | - | 0 | (O) May be inoperative provided:<br>a) Flight is not conducted in<br>Instrument Meteorological<br>Conditions (IMC) or at night,<br>and<br>b) Standby horizon battery is<br>operative. |  |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-3

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 34 | NAVIGATION                                |   |   |   |                                                                                                                                                                                                                                                        |
|----|-------------------------------------------|---|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6. | Non-Stabilized Magnetic (Standby) Compass | B | 1 | 0 | (O) May be inoperative provided any combination of three gyro or INS (IRS) stabilized compass systems are operative.                                                                                                                                   |
|    |                                           | B | 1 | 0 | May be inoperative provided:<br>a) Any combination of two gyro stabilized compass systems are operative, and<br>b) Airplane is operated with dual independent navigation capability and under positive radar control by ATC during the enroute flight. |
|    |                                           | B | 1 | 0 | (O) May be inoperative for flights that are entirely within areas of magnetic unreliability provided at least two stabilized directional gyro systems are installed, operative, and used in conjunction with approved free gyro navigation techniques. |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-4

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|    |                                                    |   |   |   |                                                                                                                   |  |
|----|----------------------------------------------------|---|---|---|-------------------------------------------------------------------------------------------------------------------|--|
| 34 | NAVIGATION                                         |   |   |   |                                                                                                                   |  |
| 6. | Non-Stabilized Magnetic (Standby) Compass (Cont'd) |   |   |   |                                                                                                                   |  |
| 1) | Compass Lighting                                   | B | 1 | 0 | May be inoperative provided Non-Stabilized Magnetic (Standby) Compass (item 34-6) is considered inoperative.      |  |
|    |                                                    | C | 1 | 0 | May be inoperative for other than night operations.                                                               |  |
| 7. | IRS. NO AIR Light (LASEREF MSU)                    | C | - | 0 | (M) May be inoperative provided:<br>a) Fan filter is checked for cleanliness, and<br>b) Cooling fan is operative. |  |
| 8. | VHF Navigation Systems (VOR/ILS)                   | C | - | - | As required by 14 CFR.                                                                                            |  |
| 9. | Fault Warning Computer                             | B | 3 | 2 | One or more may be inoperative.                                                                                   |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                       |                          | REVISION NO: 9                  |   | PAGE NO. |                                                                                                                                      |                          |
|---------------------------------|--------------------------|---------------------------------|---|----------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| FALCON 900EX                    |                          | DATE: 10/20/2016                |   | 34-5     |                                                                                                                                      |                          |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                          | 1. REPAIR CATEGORY              |   |          |                                                                                                                                      | 4. REMARKS OR EXCEPTIONS |
|                                 |                          | 2. NUMBER INSTALLED             |   |          |                                                                                                                                      |                          |
|                                 |                          | 3. NUMBER REQUIRED FOR DISPATCH |   |          |                                                                                                                                      |                          |
|                                 |                          |                                 |   |          |                                                                                                                                      |                          |
| 34                              | NAVIGATION               |                                 |   |          |                                                                                                                                      |                          |
| 10.                             | Altitude Alerting System | A                               | - | 0        | (O) May be inoperative provided:                                                                                                     |                          |
|                                 |                          |                                 |   |          | a) Autopilot with altitude hold and altitude capture operates normally,                                                              |                          |
|                                 |                          |                                 |   |          | b) Enroute operations (i.e., RVSM) do not require its use,                                                                           |                          |
|                                 |                          |                                 |   |          | c) Airplane does not depart from a designated airport (as listed in the operator's MEL) where repair or replacement can be made, and |                          |
|                                 |                          |                                 |   |          | d) Repairs are made within 3 flight days.                                                                                            |                          |
| 1)                              | Aural Alert              | C                               | - | 1        |                                                                                                                                      |                          |
|                                 |                          | C                               | - | 0        | May be inoperative provided:                                                                                                         |                          |
|                                 |                          |                                 |   |          | a) Visual alert operates normally, and                                                                                               |                          |
|                                 |                          |                                 |   |          | b) Autopilot with altitude hold and altitude capture operates normally.                                                              |                          |
| 2)                              | Visual Alert             | C                               | - | 0        | May be inoperative provided:                                                                                                         |                          |
|                                 |                          |                                 |   |          | a) Aural alert operates normally, and                                                                                                |                          |
|                                 |                          |                                 |   |          | b) Autopilot with altitude hold and altitude capture is operative.                                                                   |                          |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-6

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                     | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------|---------------------------------|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                     | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                 |
|                                 |                                                     | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                 |
|                                 |                                                     | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                 |
| 34                              | NAVIGATION                                          |                                 |   |   |                                                                                                                                                                                                                                 |
| 11.                             | VMO/MMO Aural Warnings                              | C                               | 2 | 1 | One may be inoperative provided:<br>a) Both Mach/airspeed indicators are operative, and<br>b) AFM VMO/MMO limitations are observed.                                                                                             |
| 12.                             | Flight Management System (FMS) (To Include FMS 6.1) |                                 |   |   |                                                                                                                                                                                                                                 |
| 1)                              | Without Lasertrack Installed                        | C                               | - | 1 | (O) Except where enroute/terminal operations require its use, one may be inoperative.<br><br>NOTE: FMS Functionality may affect LPV and FANS 1/A operations when installed via ST02969NY.                                       |
| 2)<br>***                       | With Lasertrack Installed                           | C                               | - | 0 | (O) Except where enroute/terminal operations require its use, may be inoperative provided IRS is initialized by Lasertrack.<br><br>NOTE: FMS Functionality may affect LPV and FANS 1/A operations when installed via ST02969NY. |
| (Continued)                     |                                                     |                                 |   |   |                                                                                                                                                                                                                                 |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-7

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|     |                                         |   |   |   |                                                                                                                                                                                                                                                                                                                                           |
|-----|-----------------------------------------|---|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 34  | NAVIGATION                              |   |   |   |                                                                                                                                                                                                                                                                                                                                           |
| 12. | Flight Management System (FMS) (Cont'd) |   |   |   |                                                                                                                                                                                                                                                                                                                                           |
| 3)  | Navigation Databases                    | C | - | 0 | (O) May be out of currency provided:<br>a) Current Aeronautical Charts are used to verify Navigation Fixes prior to dispatch,<br>b) Procedures are established and used to verify status and suitability of Navigation Facilities used to define route of flight, and<br>c) Approach Navigation Radios are manually tuned and identified. |
| 4)  | Navigation Databases Data Loader        | C | 1 | 0 | May be inoperative provided the time limits of the Navigation Databases are not exceeded.                                                                                                                                                                                                                                                 |
|     |                                         | C | 1 | 0 | May be inoperative provided the Navigation Databases (item 34-12) are considered out of currency.                                                                                                                                                                                                                                         |
| 13. | Marker Beacon System                    | C | - | 0 | May be inoperative provided approach minimums do not require its use.                                                                                                                                                                                                                                                                     |
| 14. | Distance Measuring Equipment (DME)      | D | - | - | Any in excess of those required by 14 CFR may be inoperative.                                                                                                                                                                                                                                                                             |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                       |                                                                 | REVISION NO: 9                  |   | PAGE NO. |                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------------------|---------------------------------|---|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FALCON 900EX                    |                                                                 | DATE: 10/20/2016                |   | 34-8     |                                                                                                                                                                                                 |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                 | 1. REPAIR CATEGORY              |   |          |                                                                                                                                                                                                 |
|                                 |                                                                 | 2. NUMBER INSTALLED             |   |          |                                                                                                                                                                                                 |
|                                 |                                                                 | 3. NUMBER REQUIRED FOR DISPATCH |   |          |                                                                                                                                                                                                 |
|                                 |                                                                 | 4. REMARKS OR EXCEPTIONS        |   |          |                                                                                                                                                                                                 |
| 34                              | NAVIGATION                                                      |                                 |   |          |                                                                                                                                                                                                 |
| 15.                             | ATC Transponder and Automatic Altitude Reporting System         | B                               | - | 0        | May be inoperative provided:<br>a) Operations do not require its use, and<br>b) Prior to flight, approval is obtained from ATC facilities having jurisdiction over the planned route of flight. |
|                                 |                                                                 | D                               | - | 1        | Any in excess of those required by 14 CFR may be inoperative.                                                                                                                                   |
| 1)<br>***                       | Elementary and Enhanced Downlink Aircraft Reportable Parameters | A                               | - | 0        | May be inoperative provided:<br>a) Operations do not require its use, and<br>b) Repairs are made prior to completion of the next heavy maintenance visit.                                       |
| 2)<br>***                       | ADS-B Squitter Transmissions                                    | D                               | - | 0        | May be inoperative provided operations do not require its use.                                                                                                                                  |
|                                 |                                                                 | C                               | - | 0        | (O) May be inoperative provided alternate procedures are established and used.<br><br>NOTE: Any ADS-B Out function that operates normally may be used.                                          |
| 16.                             | Radio Compass System (ADF)                                      | C                               | - | -        | As required by 14 CFR.                                                                                                                                                                          |
| 17.                             | Weather Radar System                                            | C                               | 1 | -        | As required by 14 CFR.                                                                                                                                                                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-9

| SYSTEM & SEQUENCE NUMBERS |                                  | 1. REPAIR CATEGORY  |   |   |                                 | 4. REMARKS OR EXCEPTIONS                                                                                                                 |   |
|---------------------------|----------------------------------|---------------------|---|---|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---|
|                           |                                  | 2. NUMBER INSTALLED |   |   | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                                          |   |
|                           |                                  | A                   | B | C |                                 |                                                                                                                                          | D |
|                           |                                  |                     |   |   |                                 |                                                                                                                                          |   |
| 34                        | NAVIGATION                       |                     |   |   |                                 |                                                                                                                                          |   |
| 18.                       | Class A TAWS Equipment Required  |                     |   |   |                                 |                                                                                                                                          |   |
| 1)                        | GPWS                             | A                   | 1 | 0 |                                 | (O) May be inoperative provided:<br>a) Alternate procedures are established and used, and<br>b) Repairs are made within 2 flight days.   |   |
| a)                        | Modes 1 Thru 4                   | A                   | 4 | 0 |                                 | (O) May be inoperative provided:<br>a) Alternate procedures are established and used, and<br>b) Repairs are made within 2 flight days.   |   |
| b)                        | Test Mode                        | A                   | 1 | 0 |                                 | May be inoperative provided:<br>a) GPWS is considered inoperative, and<br>b) Repairs are made within 2 flight days.                      |   |
| c)                        | Glideslope Deviation(s) (Mode 5) | C                   | - | 1 |                                 |                                                                                                                                          |   |
|                           |                                  | B                   | - | 0 |                                 |                                                                                                                                          |   |
| d)                        | Advisory Callouts                | B                   | - | 0 |                                 | (O) May be inoperative provided alternate procedures are established and used.                                                           |   |
|                           |                                  | C                   | - | 0 |                                 | (O) May be inoperative provided:<br>a) Advisory callout not required by 14 CFR, and<br>b) Alternate procedures are established and used. |   |
| (Continued)               |                                  |                     |   |   |                                 |                                                                                                                                          |   |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-10

| SYSTEM & SEQUENCE NUMBERS |                                                                                                       | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                             |
|---------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                           |                                                                                                       | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                             |
|                           |                                                                                                       | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                             |
|                           |                                                                                                       | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                             |
| 34                        | NAVIGATION                                                                                            |                                 |   |   |                                                                                                                                                                                                             |
| 18.                       | Class A TAWS Equipment Required (Cont'd)                                                              |                                 |   |   |                                                                                                                                                                                                             |
| 1)                        | GPWS (Cont'd)                                                                                         |                                 |   |   |                                                                                                                                                                                                             |
| e) ***                    | Windshear Mode (Reactive)                                                                             | B                               | 1 | 0 | (O) May be inoperative provided Alternate procedures are established and used.<br><br>NOTE: Operator's alternate procedures should include reviewing windshear avoidance and windshear recovery procedures. |
|                           |                                                                                                       | C                               | 1 | 0 | (O) May be inoperative provided:<br>a) Alternate procedures are established and used, and<br>b) Windshear Detection and Avoidance System (Predictive) is operative.                                         |
| 2)                        | Terrain System - Forward Looking Terrain Avoidance (FLTA) And Premature Descent Alert (PDA) Functions | B                               | 1 | 0 | (O) May be inoperative provided alternate procedures are established and used.                                                                                                                              |
| 3)                        | Terrain Displays                                                                                      | C                               | - | 1 |                                                                                                                                                                                                             |
|                           |                                                                                                       | B                               | - | 0 |                                                                                                                                                                                                             |
| 4) ***                    | Runway Awareness and Advisory System (RAAS)                                                           | C                               | 1 | 0 |                                                                                                                                                                                                             |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-11

| SYSTEM & SEQUENCE NUMBERS |                                 | 1. REPAIR CATEGORY              |   |   |                                                                                                                                        | 4. REMARKS OR EXCEPTIONS |
|---------------------------|---------------------------------|---------------------------------|---|---|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                           |                                 | 2. NUMBER INSTALLED             |   |   |                                                                                                                                        |                          |
|                           |                                 | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                        |                          |
|                           |                                 |                                 |   |   |                                                                                                                                        |                          |
| 34                        | NAVIGATION                      |                                 |   |   |                                                                                                                                        |                          |
| 19.                       | Class B TAWS Equipment Required |                                 |   |   |                                                                                                                                        |                          |
| 1)                        | GPWS                            | A                               | 1 | 0 | (O) May be inoperative provided:<br>a) Alternate procedures are established and used, and<br>b) Repairs are made within 2 flight days. |                          |
| a)                        | Modes 1 and 3                   | A                               | 2 | 0 | (O) May be inoperative provided:<br>a) Alternate procedures are established and used, and<br>b) Repairs are made within 2 flight days. |                          |
| b)                        | Test Mode                       | A                               | 1 | 0 | May be inoperative provided:<br>a) GPWS is considered inoperative, and<br>b) Repairs are made within 2 flight days.                    |                          |
| c)                        | Modes 2, 4, and 5               | C                               | 3 | 0 |                                                                                                                                        |                          |
| ***                       |                                 |                                 |   |   | (Continued)                                                                                                                            |                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                       |                                                                                                       | REVISION NO: 9      |   | PAGE NO. |                                 |                                                                                                                                          |  |
|---------------------------------|-------------------------------------------------------------------------------------------------------|---------------------|---|----------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--|
| FALCON 900EX                    |                                                                                                       | DATE: 10/20/2016    |   | 34-12    |                                 |                                                                                                                                          |  |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                                                       | 1. REPAIR CATEGORY  |   |          |                                 | 4. REMARKS OR EXCEPTIONS                                                                                                                 |  |
|                                 |                                                                                                       | 2. NUMBER INSTALLED |   |          | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                                          |  |
|                                 |                                                                                                       |                     |   |          |                                 |                                                                                                                                          |  |
|                                 |                                                                                                       |                     |   |          |                                 |                                                                                                                                          |  |
| 34                              | NAVIGATION                                                                                            |                     |   |          |                                 |                                                                                                                                          |  |
| 19.                             | Class B TAWS Equipment Required (Cont'd)                                                              |                     |   |          |                                 |                                                                                                                                          |  |
| 1)                              | GPWS (Cont'd)                                                                                         |                     |   |          |                                 |                                                                                                                                          |  |
| d)                              | Advisory Callouts                                                                                     | B                   | - | 0        |                                 | (O) May be inoperative provided alternate procedures are established and used.                                                           |  |
|                                 |                                                                                                       | C                   | - | 0        |                                 | (O) May be inoperative provided:<br>a) Advisory callout not required by 14 CFR, and<br>b) Alternate procedures are established and used. |  |
| e)<br>***                       | Windshear Mode (Reactive)                                                                             | C                   | 1 | 0        |                                 | (O) May be inoperative provided alternate procedures are established and used.                                                           |  |
| 2)                              | Terrain System - Forward Looking Terrain Avoidance (FLTA) and Premature Descent Alert (PDA) Functions | B                   | 1 | 0        |                                 |                                                                                                                                          |  |
| 3)<br>***                       | Terrain Displays                                                                                      | C                   | - | 0        |                                 |                                                                                                                                          |  |
| 4)<br>***                       | Runway Awareness and Advisory System (RAAS)                                                           | C                   | 1 | 0        |                                 |                                                                                                                                          |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-13

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|           |                                                     |   |   |   |                                                                                                                                                                          |
|-----------|-----------------------------------------------------|---|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 34        | NAVIGATION                                          |   |   |   |                                                                                                                                                                          |
| 20.       | Class C TAWS Equipment                              |   |   |   |                                                                                                                                                                          |
| 1)<br>*** | TAWS/GPWS                                           | C | 1 | 0 | (O) May be inoperative provided alternate procedures are established and used.<br><br>NOTE: Any mode that is operative may be used.                                      |
| 21.       | Traffic Alert and Collision Avoidance System (TCAS) |   |   |   |                                                                                                                                                                          |
| 1)        | TCAS System                                         | B | - | 0 | (M) May be inoperative provided:<br>a) System is deactivated and secured, and<br>b) Enroute or approach procedures do not require its use.                               |
|           |                                                     | C | - | 0 | (M) May be inoperative provided:<br>a) Not required by 14 CFR,<br>b) System is deactivated and secured, and<br>c) Enroute or approach procedures do not require its use. |
|           |                                                     |   |   |   | (Continued)                                                                                                                                                              |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-14

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|           |                                                                                 |   |   |   |                                                                                                                                                                                                                          |
|-----------|---------------------------------------------------------------------------------|---|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 34        | NAVIGATION                                                                      |   |   |   |                                                                                                                                                                                                                          |
| 21.       | Traffic Alert and Collision Avoidance System (TCAS) (Cont'd)                    |   |   |   |                                                                                                                                                                                                                          |
| 2)<br>*** | Combined Traffic Alert (TA) and Resolution Advisory (RA) Dual Display System(s) | C | 2 | 1 | May be inoperative on the non-flying pilot's side provided:<br>a) TA and RA visual display is operative on the flying pilot's side, and<br>b) TA and RA audio function is operative on the flying pilot's side.          |
| 3)        | Resolution Advisory (RA) Display System(s)                                      | C | 2 | 1 | May be inoperative on the non-flying pilot's side.                                                                                                                                                                       |
|           |                                                                                 | C | - | 0 | (O) May be inoperative provided:<br>a) Traffic Alert (TA) visual display and audio functions are operative,<br>b) TA Only Mode is selected by the crew, and<br>c) Enroute or approach procedures do not require its use. |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-15

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|            |                                                              |   |   |   |                                                                                                                                                              |  |
|------------|--------------------------------------------------------------|---|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 34         | NAVIGATION                                                   |   |   |   |                                                                                                                                                              |  |
| 21.        | Traffic Alert and Collision Avoidance System (TCAS) (Cont'd) |   |   |   |                                                                                                                                                              |  |
| 4)         | Traffic Alert Display System(s)                              | C | - | 0 | (O) May be inoperative provided:<br>a) RA visual display and audio functions are operative, and<br>b) Enroute or approach procedures do not require its use. |  |
| 5)         | Audio Functions                                              | B | 1 | 0 | May be inoperative provided Enroute or approach procedures do not require use of TCAS.                                                                       |  |
| 6)<br>***  | Airspace Selection Function                                  | C | - | 0 |                                                                                                                                                              |  |
| 22.<br>*** | Low Range Navigation System (IRS, GPS, Loran, Etc.)          | C | - | 0 | Except where enroute operations require its use, may be inoperative.                                                                                         |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:                       |                                                                    | REVISION NO: 9      |    | PAGE NO.                        |                                                                                                                                                                                                                        |                          |
|---------------------------------|--------------------------------------------------------------------|---------------------|----|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| FALCON 900EX                    |                                                                    | DATE: 10/20/2016    |    | 34-16                           |                                                                                                                                                                                                                        |                          |
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                    | 1. REPAIR CATEGORY  |    |                                 |                                                                                                                                                                                                                        | 4. REMARKS OR EXCEPTIONS |
|                                 |                                                                    | 2. NUMBER INSTALLED |    | 3. NUMBER REQUIRED FOR DISPATCH |                                                                                                                                                                                                                        |                          |
|                                 |                                                                    | 1.                  | 2. | 1.                              | 2.                                                                                                                                                                                                                     |                          |
|                                 |                                                                    |                     |    |                                 |                                                                                                                                                                                                                        |                          |
| 34                              | NAVIGATION                                                         |                     |    |                                 |                                                                                                                                                                                                                        |                          |
| 23.                             | Radio Altimeter                                                    | A                   | -  | 0                               | (O) May be inoperative provided:<br>a) Dispatch deviation for GPWS is observed,<br>b) Approach minimums or operating procedures do not require its use, and<br>c) Repairs are made within 3 consecutive calendar-days. |                          |
| 24.<br>***                      | Multi Sensor Navigation Display                                    | C                   | -  | 0                               |                                                                                                                                                                                                                        |                          |
| 25.<br>***                      | Digital Bearing Distance Indicators                                | C                   | -  | 0                               |                                                                                                                                                                                                                        |                          |
| 26.<br>***                      | Storm Scope/Lighting Sensor                                        | C                   | -  | 0                               |                                                                                                                                                                                                                        |                          |
| 27.<br>***                      | Copilot Standby Instrument System (With STC SA 8277SW-D Installed) | C                   | 1  | 0                               | May be inoperative provided approach minimums do not require its use.                                                                                                                                                  |                          |
| 28.                             | Comparator Warning System                                          | C                   | 1  | 0                               | May be inoperative provided approach minimums do not require its use.                                                                                                                                                  |                          |
| 29.<br>***                      | Lasertrack                                                         | C                   | -  | 0                               | (O) May be inoperative provided the IRS is initialized by the FMS.                                                                                                                                                     |                          |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-17

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                     | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|-----------------------------------------------------|---------------------------------|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                     | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                     | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                 |                                                     | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 34                              | NAVIGATION                                          |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 30.<br>***                      | Head-Up Display System (HUD)                        | D                               | 1 | 0 | <p>May be inoperative provided procedures do not require its use.</p> <p>NOTE: Any mode which is operative may be used.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 31.                             | Electronic Flight Instrument System (EFIS) Displays | A                               | 5 | 4 | <p>(O) Copilot's ND#2 may be inoperative provided:</p> <ul style="list-style-type: none"> <li>a) Reversion Switch Panels (RSP) are operative,</li> <li>b) Display Controller Panels (DCP) are operative,</li> <li>c) Symbol Generators (SG) are operative,</li> <li>d) Standby instrument(s) is(are) operative, and</li> <li>e) Repairs are made within 3 consecutive calendar-days.</li> </ul> <p>NOTE 1: In cases of a second ND failure in flight, TCAS and EGPWS situation awareness are not available.</p> <p>NOTE 2: In case of a second ND failure or an EID failure in flight, FMS ND flight plan depictions are not available; FMS flight plan legs displayed on FMS CDUs remain functional, including FD/AP coupling.</p> <p>NOTE 3: On aircraft with STC ST03371NY, the failure of the ND#2 may affect the ability to display Electronic Charts and Maps.</p> |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

34-18

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                                           | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|---------------------------------------------------------------------------|---------------------------------|---|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                                                                           | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                |                          |
|                                 |                                                                           | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                |                          |
|                                 |                                                                           |                                 |   |   |                                                                                                                                                                                                                                                                |                          |
| 34                              | NAVIGATION                                                                |                                 |   |   |                                                                                                                                                                                                                                                                |                          |
| 32.<br>***                      | Jeppesen Electronic Terminal Charts (Only on Aircraft with STC ST03371NY) | D                               | 1 | 0 | (O) May be inoperative provided alternate procedures are established and used.                                                                                                                                                                                 |                          |
| 33.<br>***                      | GPS (Only on Aircraft with ST02967NY)                                     | C                               | 2 | 0 | May be inoperative provided operations do not require its use.<br><br>NOTE: ADS-B Out function will not be available when both GPS are inoperative on aircraft with STC ST02973NY.                                                                             |                          |
| 34.<br>***                      | Cursor Control Display (CCD) (Only on Aircraft with STC ST3371NY)         | A                               | 2 | 1 | Copilot position may be inoperative provided:<br>a) Reversion Switch Panels (RSP) are operative, and<br>b) Repairs are made within 3 flight days.<br><br>NOTE: If bezel buttons are used, displays will revert back to legacy mode on aircraft with ST03371NY. |                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 8<br>DATE: 11/03/2014 | PAGE NO.<br>35-1 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                      | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                          |
|---------------------------------|--------------------------------------|---------------------------------|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                      | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                          |
|                                 |                                      | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                          |
|                                 |                                      | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                          |
| 35                              | OXYGEN                               |                                 |   |   |                                                                                                                                                                                                                                                                          |
| 1.                              | Passenger Oxygen System              | C                               | 1 | 0 | (M)(O) Automatic presentation system may be inoperative provided:<br>a) Manual deployment is operative, and<br>b) Airplane remains at or below FL 250.                                                                                                                   |
|                                 |                                      | C                               | 1 | 0 | (M)(O) One or more passenger service units may be inoperative without flight altitude restrictions provided:<br>a) Associated seats are placarded and blocked to prevent occupancy, and<br>b) Units are operative at all usable lavatory and flight attendant locations. |
|                                 |                                      | C                               | 1 | 0 | (O) May be inoperative provided the airplane remains at or below 10,000 feet.                                                                                                                                                                                            |
| 1)                              | Cargo Only Configuration             | D                               | 1 | 0 |                                                                                                                                                                                                                                                                          |
| 2.                              | First Aid Oxygen                     | C                               | - | - | As required by 14 CFR.                                                                                                                                                                                                                                                   |
| 3.                              | Portable Oxygen System               | D                               | - | - | Any in excess of those required by 14 CFR may be inoperative.                                                                                                                                                                                                            |
| 4.                              | Protective Breathing Equipment (PBE) | D                               | - | - | Any in excess of those required by 14 CFR may be inoperative or removed provided location placarding is removed or obscured.                                                                                                                                             |

|                           |                                    |                  |
|---------------------------|------------------------------------|------------------|
| AIRCRAFT:<br>FALCON 900EX | REVISION NO: 9<br>DATE: 10/20/2016 | PAGE NO.<br>36-1 |
|---------------------------|------------------------------------|------------------|

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                    | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                           |
|---------------------------------|------------------------------------|---------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                    | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                           |
|                                 |                                    | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                           |
|                                 |                                    | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                           |
| 36                              | PNEUMATIC                          |                                 |   |   |                                                                                                                                                                                                                                                                                           |
| 1.                              | BASC (Bleed Air System Computer)   | B                               | 1 | 0 | (M)(O) May be inoperative provided:<br>a) HP bleed and anti-ice valves are verified closed,<br>b) #1 and #3 engine anti-ice systems are operative,<br>c) Airplane is not operated in known or forecast icing conditions, and<br>d) Flight is conducted in an unpressurized configuration. |
| 1)                              | Anemometry Data Function           | C                               | 4 | 2 | One or more may be inoperative provided only one ADC side is affected.                                                                                                                                                                                                                    |
| 2)                              | Computer Failure Warning Function  | C                               | 2 | 0 | One or more may be inoperative provided BASC fault codes are considered before each departure.                                                                                                                                                                                            |
| 2.                              | HP1, HP2, and HP3 Bleed Air Valves | C                               | 3 | 2 | (M)(O) One may be inoperative provided:<br>a) Affected valve is verified in the closed position,<br>b) Associated BLEED AIR - HP switch remains OFF, and<br>c) Airplane is not operated in known or forecast icing conditions.                                                            |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

36-2

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                     | 1. REPAIR CATEGORY  |   |   |                                                                                                                                                                                                                   | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|-------------------------------------|---------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                                     | 2. NUMBER INSTALLED |   |   | 3. NUMBER REQUIRED FOR DISPATCH                                                                                                                                                                                   |                          |
|                                 |                                     | C                   | 1 | 0 |                                                                                                                                                                                                                   |                          |
|                                 |                                     |                     |   |   |                                                                                                                                                                                                                   |                          |
| 36                              | PNEUMATIC                           |                     |   |   |                                                                                                                                                                                                                   |                          |
| 3.                              | ISOLATION Valve                     | C                   | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Valve is verified in the closed position,<br>b) ISOL rotary switch remains in ISOL, and<br>c) Airplane is not operated in known or forecast icing conditions.           |                          |
| 4.                              | ISOL Rotary Switch                  | C                   | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Rotary switch remains in ISOL,<br>b) ISOLATION valve is verified in the closed position, and<br>c) Airplane is not operated in known or forecast icing conditions.      |                          |
| 5.                              | ISOL Caution Light (Overhead Panel) | C                   | 1 | 0 | (M)(O) May be inoperative provided:<br>a) ISOL rotary switch remains in ISOL,<br>b) ISOLATION valve is verified in the closed position, and<br>c) Airplane is not operated in known or forecast icing conditions. |                          |
| 6.                              | APU BLEED AIR Valve                 | C                   | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Valve is verified in the closed position, and<br>b) APU is used for electrical power only.                                                                              |                          |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

36-3

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 36  |                                            |   |   |   |                                                                                                                                                                                                               |
|-----|--------------------------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7.  | PNEUMATIC<br>APU BLEED AIR Switch          | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Switch remains OFF,<br>b) APU BLEED AIR valve is verified in the closed position, and<br>c) APU is used for electrical power only.                                  |
| 8.  | BLEED APU Caution Light                    | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) APU BLEED AIR switch remains OFF,<br>b) APU BLEED AIR valve is verified in the closed position, and<br>c) APU is used for electrical power only.                    |
| 9.  | Cockpit Air Conditioning Temperature Probe | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Cockpit conditioning valve is verified in the closed position,<br>b) Air supply interconnect valve is manually open, and<br>c) Airplane remains at or below FL 410. |
| 10. | Wing Anti-Icing Temperature Probe          | C | 1 | 0 | (O) May be inoperative provided airplane is not operated in known or forecast icing conditions.                                                                                                               |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

36-4

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|     |                                             |   |   |   |                                                                                                                                                                                                                                                                                             |  |
|-----|---------------------------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 36  | PNEUMATIC                                   |   |   |   |                                                                                                                                                                                                                                                                                             |  |
| 11. | S-Duct Anti-Icing Temperature Probe         | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) Passenger cabin conditioning valve is verified in the closed position,<br>b) Air supply interconnect valve is manually open,<br>c) Airplane is not operated in known or forecast icing conditions, and<br>d) Airplane remains at or below FL 410. |  |
| 12. | Engine #1, #2, and #3 Bleed Overheat Probes | C | 3 | 2 | (M)(O) One may be inoperative provided:<br>a) All other temperatures probes are operative,<br>b) Associated HP bleed air valve remains OFF, and<br>c) Airplane is not operated in known or forecast icing conditions.                                                                       |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

36-5

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM & SEQUENCE NUMBERS |                                                    | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                                                                                                                                                                                   |
|---------------------------|----------------------------------------------------|--------------------|---------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 36                        | PNEUMATIC                                          |                    |                     |                                 |                                                                                                                                                                                                                                                                                                                                                            |
| 13.                       | Pressure Sensor Pv (32HU), Pm (33HU)               | B                  | 2                   | 0                               | (M)(O) One or more may be inoperative provided:<br>a) Flight is conducted in an unpressurized configuration,<br>b) Airplane is not operated into known or forecast icing conditions,<br>c) EFIS fans are verified operative, and<br>d) HP switches are set to OFF and Engine Bleed Valves (HP1, HP2, and HP3) are verified and secured in closed position. |
| 14.<br>***                | Automatic Bleed Override Controller (ABOC) (M3885) | C                  | 1                   | 0                               | (O) May be inoperative provided:<br>a) HP valves are set to OFF (overhead panel) and are not used,<br>b) Flight is not operated into known or forecast icing conditions, and<br>c) Flight is conducted in an unpressurized configuration.                                                                                                                  |
|                           |                                                    | C                  | 1                   | 0                               | (M)(O) May be inoperative provided:<br>a) ABOC is secured,<br>b) FMS TOLD is not used, and<br>c) AFM limitations are observed.                                                                                                                                                                                                                             |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

38-1

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                         | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                | 4. REMARKS OR EXCEPTIONS |
|---------------------------------|-------------------------|---------------------------------|---|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|                                 |                         | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                |                          |
|                                 |                         | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                |                          |
|                                 |                         |                                 |   |   |                                                                                                                                                                                                                                                                                                                                |                          |
| 38                              | WATER/WASTE             |                                 |   |   |                                                                                                                                                                                                                                                                                                                                |                          |
| 1.                              | Rear Toilet Drain Valve | A                               | 1 | 0 | May be inoperative in closed position provided repairs are made before next toilet drain pan draining operation.                                                                                                                                                                                                               |                          |
|                                 |                         | A                               | 1 | 0 | (M)(O) May be inoperative in open position provided:<br>a) Flight is conducted in a unpressurized configuration,<br>b) Placard is installed on toilet door with "DO NOT USE TOILET" inscription,<br>c) Draining port plug is verified to be in locked position, and<br>d) Repairs are made within 3 consecutive calendar-days. |                          |
|                                 |                         | A                               | 1 | 0 | (M)(O) May be inoperative provided:<br>a) After manually operating the drain valve in closed position, it is checked there is no water leak at the drain valve, and<br>b) Repairs are made within 3 consecutive calendar-days.                                                                                                 |                          |
| 2.                              | Lavatory Waste System   | C                               | 1 | 0 | (M) Individual components may be inoperative provided:<br>a) Associated components are deactivated or isolated, and<br>b) Associated system components are verified not to have leaks.<br><br>NOTE: Any portion of system which is operative may be used.                                                                      |                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

| AIRCRAFT:<br>FALCON 900EX       |                                         | REVISION NO: 8<br>DATE: 11/03/2014 |   | PAGE NO.<br>46-1 |                                                                                                                                                                            |
|---------------------------------|-----------------------------------------|------------------------------------|---|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                         | 1. REPAIR CATEGORY                 |   |                  |                                                                                                                                                                            |
|                                 |                                         | 2. NUMBER INSTALLED                |   |                  |                                                                                                                                                                            |
|                                 |                                         | 3. NUMBER REQUIRED FOR DISPATCH    |   |                  |                                                                                                                                                                            |
|                                 |                                         | 4. REMARKS OR EXCEPTIONS           |   |                  |                                                                                                                                                                            |
| 46                              | NEW TECHNOLOGY                          |                                    |   |                  |                                                                                                                                                                            |
| 1.<br>***                       | Electronic Flight Bag<br>Systems (EFBs) |                                    |   |                  |                                                                                                                                                                            |
| 1)<br>***                       | Class 3 EFBs                            | C                                  | - | -                | (O) May be inoperative provided<br>alternate procedures are established<br>and used.<br><br>NOTE: Any function, program, or<br>document which is operative<br>may be used. |
|                                 |                                         | D                                  | - | 0                | May be inoperative provided<br>procedures do not require its use.                                                                                                          |
| 2)<br>***                       | Data Connectivity (Class 2)             | C                                  | - | -                | (O) May be inoperative provided<br>alternate procedures are established<br>and used.                                                                                       |
|                                 |                                         | D                                  | - | 0                | May be inoperative provided<br>procedures do not require its use.                                                                                                          |
| 3)<br>***                       | Power Connection<br>(Class 1 and 2)     | C                                  | - | -                | (O) May be inoperative provided<br>alternate procedures are established<br>and used.                                                                                       |
|                                 |                                         | D                                  | - | 0                | May be inoperative provided<br>procedures do not require its use.                                                                                                          |
| (Continued)                     |                                         |                                    |   |                  |                                                                                                                                                                            |

AIRCRAFT:

FALCON 900EX

REVISION NO: 8

DATE: 11/03/2014

PAGE NO.

46-2

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

46

NEW TECHNOLOGY

1.  
\*\*\*

Electronic Flight Bag  
Systems (EFBs)  
(Cont'd)

4)  
\*\*\*

Mounting Device (Class 2)

C

-

0

(M)(O) May be inoperative provided:  
a) Associated EFB and hardware  
is secured by an alternate  
means or removed from the  
aircraft, and  
b) Alternate procedures are  
established and used.

D

-

0

(M) May be inoperative provided:  
a) Associated EFB and hardware  
is secured by an alternate  
means or removed from the  
aircraft, and  
b) Procedures do not require its  
use.

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

49-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 49 | AIRBORNE AUXILIARY POWER   |   |   |   |                                                                                                               |
|----|----------------------------|---|---|---|---------------------------------------------------------------------------------------------------------------|
| 1. | Auxiliary Power Unit (APU) | C | 1 | 0 | (O) May be inoperative provided procedures do not require its use.                                            |
|    |                            | D | 1 | 0 | (M) May be inoperative provided it is secured or removed.                                                     |
| 2. | APU Computer               | D | 1 | 0 | (M) May be inoperative provided APU (item 49-1) is considered inoperative.                                    |
| 3. | N1 Indication              | C | 1 | 0 | (M)(O) May be inoperative provided:<br>a) APU computer is operative,<br>and<br>b) T5 indication is operative. |
| 4. | T5 Indication              | D | 1 | 0 | (M) May be inoperative provided APU (item 49-1) is considered inoperative.                                    |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

49-2

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 49 | AIRBORNE AUXILIARY POWER       |   |   |   |                                                                                 |
|----|--------------------------------|---|---|---|---------------------------------------------------------------------------------|
| 5. | APU OIL PRESSURE Caution Light | C | 1 | 0 | (M) May be inoperative provided APU computer is operative.                      |
|    |                                | C | 1 | 0 | (M) May be inoperative provided APU oil level is verified once each flight day. |
|    |                                | D | 1 | 0 | (M) May be inoperative provided APU (item 49-1) is considered inoperative.      |
| 6. | APU GEN Indicator Light        | C | 1 | 0 | (O) May be inoperative provided bus power is verified operative.                |



U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

52-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                                                          | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                                                                                                                                                |
|---------------------------------|----------------------------------------------------------|--------------------|---------------------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 52                              | DOORS                                                    |                    |                     |                                 |                                                                                                                                                                                                                                                                                                                         |
| 1.                              | DOORS Warning Light System                               | C                  | 1                   | 0                               | (M)(O) May be inoperative provided before each departure:<br>a) Main entry door is verified closed and latched,<br>b) External baggage compartment access door is verified closed and latched, and<br>c) Internal baggage compartment access door is verified closed and latched and placarded "DO NOT OPEN IN FLIGHT". |
| 2.                              | SERVICE DOOR Caution Light                               | C                  | 1                   | 0                               | (O) May be inoperative provided before each departure it is visually verified:<br>a) Rear compartment door is closed and latched, and<br>b) Forward toilet service door is closed and latched.                                                                                                                          |
| 3.<br>***                       | Electric Main Entrance Door Motor System (Post Mod 2716) | C                  | 1                   | 0                               | (M) May be inoperative provided Door is verified to manually open and close freely.                                                                                                                                                                                                                                     |
| 4.                              | Baggage Compartment External Door Reducing Gear Motor    | C                  | 1                   | 0                               | (M) May be inoperative provided:<br>a) Baggage compartment external door is closed manually, and<br>b) Baggage compartment external door is verified latched and locked before each flight.                                                                                                                             |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

73-1

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                         | 1. REPAIR CATEGORY              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------|-------------------------|---------------------------------|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                         | 2. NUMBER INSTALLED             |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                 |                         | 3. NUMBER REQUIRED FOR DISPATCH |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                 |                         | 4. REMARKS OR EXCEPTIONS        |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 73                              | ENGINE FUEL AND CONTROL |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1.                              | Engine Computers (DEEC) |                                 |   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1)                              | Automatic Mode          | C                               | 3 | 2 | (M)(O) One may be inoperative provided:<br>a) Test to verify correct operation of the overspeed protection system of the associated engine is performed as indicated in AFM Annex 5,<br>b) Airplane is operated in accordance with AFM Annex 5,<br>c) No other dispatched inoperative item or conditions concerning powerplant or performance exists,<br>d) Airplane is not operated in known or forecast icing conditions, and<br>e) Associated DEEC is operated in manual mode. |
| 2.                              | DEEC Caution Light      | C                               | 3 | 2 | (O) One may be inoperative provided the associated DEEC is considered inoperative in the auto mode.                                                                                                                                                                                                                                                                                                                                                                               |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

74-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 74 | IGNITION                                   |   |   |   |                                                                                                                                                                                                                                                                             |
|----|--------------------------------------------|---|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | IGN Labels (EID)                           | C | 3 | 2 | (M) One may be inoperative provided ignition system is verified operative.                                                                                                                                                                                                  |
| 2. | Automatic Ignition Systems (AOA Activated) | B | 2 | 1 | (M)(O) One may be inoperative provided:<br>a) Manual ignition systems are verified operative,<br>b) AIR START function is operative,<br>c) AIR START position is selected for takeoff, approach, landing, and rough air penetration, and<br>d) AFM limitations are applied. |
| 3. | Ignitor Plugs                              | C | 6 | 5 | One may be inoperative provided all DEECs are operative in auto mode.                                                                                                                                                                                                       |
| 4. | Ignition Selector Switch                   | C | 3 | 2 | (M)(O) One may be inoperative in GRD START position provided:<br>a) Engine is started in AIR START position,<br>b) Switch is returned to the GRD START position at 45% N2, and<br>c) All DEECs are operative in auto mode.                                                  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

77-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| SYSTEM &<br>SEQUENCE<br>NUMBERS |                       | 1. REPAIR CATEGORY | 2. NUMBER INSTALLED | 3. NUMBER REQUIRED FOR DISPATCH | 4. REMARKS OR EXCEPTIONS                                                                                                                                                                                                                                                |
|---------------------------------|-----------------------|--------------------|---------------------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 77                              | ENGINE INDICATING     |                    |                     |                                 |                                                                                                                                                                                                                                                                         |
| 1.                              | EID Indications       |                    |                     |                                 |                                                                                                                                                                                                                                                                         |
| 1)                              | N1 Indications        | C                  | 3                   | 2                               | (O) One may be inoperative provided:<br>a) N2, ITT, and Fuel Flow indications are operative,<br>b) Associated DEEC is operative in AUTO mode, and<br>c) Both DAUs are operative.                                                                                        |
| 2)                              | ITT Indications       | C                  | 3                   | 2                               | (O) One may be inoperative provided:<br>a) N1, N2, and Fuel Flow indications are operative,<br>b) Associated DEEC is operative in AUTO mode, and<br>c) Both DAUs are operative.                                                                                         |
| 3)                              | N2 Indications        | C                  | 3                   | 2                               | (O) One may be inoperative provided:<br>a) Both DAUs are operative,<br>b) N1, ITT, and Fuel Flow indications are operative,<br>c) Associated DEEC is operative in AUTO mode, and<br>d) During starting, the power lever is moved to idle at the first indication of N1. |
| 2.                              | Fuel Flow Indications | B                  | 3                   | 2                               | One may be inoperative provided all other engine indications and the associated fuel quantity indication system are operative.                                                                                                                                          |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

77-2

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 77 | ENGINE INDICATING        |   |   |   |                                                                                                                                                                 |  |
|----|--------------------------|---|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 3. | Fuel Used Indications    | C | 3 | 2 | One may be inoperative provided the associated Fuel Flow and Fuel Quantity Indications are operative.                                                           |  |
| 4. | N1 Vibration Indications | C | 3 | 0 | One or more may be inoperative.                                                                                                                                 |  |
| 5. | N2 Vibration Indications | C | 3 | 0 | One or more may be inoperative.                                                                                                                                 |  |
| 6. | Oil Pressure Indications | C | 3 | 2 | For 14 CFR Part 91 operations only, one may be inoperative provided the associated OIL low pressure warning light and oil temperature indication are operative. |  |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 8

DATE: 11/03/2014

PAGE NO.

78-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 78 | ENGINE EXHAUST                |   |   |   |                                                                                                                                                                                                                                                                  |
|----|-------------------------------|---|---|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Thrust Reverser System        | C | 1 | 0 | (M) May be inoperative provided:<br>a) No damage to the Thrust Reverser system exists which would adversely affect operation of the airplane, and<br>b) Thrust Reverser is deactivated and locked in the closed (forward thrust) position by use of safety pins. |
| 2. | THRUST REVERSER Warning Light | C | 1 | 0 | May be inoperative provided Thrust Reverser (item 78-1) is considered inoperative.                                                                                                                                                                               |
| 3. | DEPLOY Label (on EID)         | C | 1 | 0 | May be inoperative provided Thrust Reverser system is considered inoperative.                                                                                                                                                                                    |
| 4. | TRANS Label (on EID)          | C | 1 | 0 | May be inoperative provided Thrust Reverser system is considered inoperative.                                                                                                                                                                                    |

AIRCRAFT:

FALCON 900EX

REVISION NO: 9

DATE: 10/20/2016

PAGE NO.

79-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

| 79 | ENGINE OIL                     |   |   |   |                                                                                                                                                                                                                                                                       |
|----|--------------------------------|---|---|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Oil Quantity Indicating System | C | 1 | 0 | May be inoperative provided quantity is verified adequate by an acceptable means once each flight day.                                                                                                                                                                |
| 2. | Oil Chip Detection System      | A | 3 | 2 | (M) One may be triggered or inoperative provided: <ul style="list-style-type: none"> <li>a) Associated magnetic chip detector is verified free of metal particles before each flight, and</li> <li>b) Repairs are made within 3 consecutive calendar-days.</li> </ul> |

U.S. DEPARTMENT OF TRANSPORTATION

MASTER MINIMUM EQUIPMENT LIST

FEDERAL AVIATION ADMINISTRATION

AIRCRAFT:

FALCON 900EX

REVISION NO: 8

DATE: 11/03/2014

PAGE NO.

80-1

SYSTEM &  
SEQUENCE  
NUMBERS

1. REPAIR CATEGORY

2. NUMBER INSTALLED

3. NUMBER REQUIRED FOR DISPATCH

4. REMARKS OR EXCEPTIONS

|    |                          |   |   |   |                                                                                                     |
|----|--------------------------|---|---|---|-----------------------------------------------------------------------------------------------------|
| 80 | STARTING                 |   |   |   |                                                                                                     |
| 1. | Automatic Starter Cutout | C | 3 | 2 | (O) One may be inoperative provided the starter is disengaged at 45% N2 by an acceptable procedure. |